According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



MSeal M 811 PTA 210KG 1A2

| Version | Revision Date: | SDS Number: | Date of last issue: - |
|---------|----------------|--------------|---------------------------------|
| 1.0 | 23.06.2020 | 000000548977 | Date of first issue: 23.06.2020 |

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name:MSeal M 811 PTA 210KG 1A2Product code:00000000050486830

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.3 Details of the supplier of the safety data sheet

| Company | : | Allpro Group Via Dolorosa 34215 ISTANBUL |
|--|---|--|
| Telephone | : | +902123343580452 |
| Telefax | : | +902123343579 |
| E-mail address of person responsible for the SDS | : | mabas-eb@mbcc-group.com |

1.4 Emergency telephone

Acil İlk Yardım Merkezi: 112 Ulusal Zehir Danışma Merkezi: 114 İtfaiye: 110

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification T.R. SEA No 28848

Serious eye damage/eye irritation, 2 Specific target organ toxicity - repeated exposure, 2 Long-term (chronic) aquatic hazard, 2

2.2 Label elements

Labeling T.R. SEA No 28848

| Hazard pictograms : | |
|---------------------|---|
| Signal Word : | Warning |
| Hazard Statements : | H319 Causes serious eye irritation. H373 May cause damage to organs through prolonged or repeated exposure. H411 Toxic to aquatic life with long lasting effects. |

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



MSeal M 811 PTA 210KG 1A2

| Version 1.0 | Revision Date: 23.06.2020 | SDS Number: 000000548977 | Date of last issue: - Date of first issue: 23.06.2020 | | |
|--------------------------|------------------------------|--|--|--|--|
| Precautionary Statements | | P280 Wear pro tion/ face protecti P260 Do not br P264 Wash fac | P273 Avoid release to the environment. | | |
| | | Response: P305 + P351 + P338 IF IN EYES: Rinse cautiously with ter for several minutes. Remove contact lenses, if present easy to do. Continue rinsing. P314 Get medical advice/ attention if you feel unwell. P391 Collect spillage. P337 + P311 If eye irritation persists: Call a POISON CENTER or doctor/physician. | | | |
| | | Disposal: P501 Dispose ous waste collect | of contents/container to appropriate hazard- ion point. | | |

2.3 Other hazards

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : polyol

Components

| Chemical name | CAS-No. EC-No. Index-No. Registration num- ber | Classification | Concentration (% w/w) |
|-----------------------------|--|---|--------------------------|
| diethylmethylbenzenediamine | 68479-98-1 270-877-4 612-130-00-0 | Eye Irrit.2; STOT RE2; Aquatic Acute1; Aquatic Chronic1; | >= 15 - < 20 |

For explanation of abbreviations see section 16.

2

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Move out of dangerous area.

Show this material safety data sheet to the doctor in attendance. According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



MSeal M 811 PTA 210KG 1A2

| Version 1.0 | Revision Date: 23.06.2020 | SDS Number:Date of last issue: -000000548977Date of first issue: 23.06.2020 | | | |
|-------------------------|---------------------------|--|----|--|--|
| | | Do not leave the victim unattended. | | | |
| If inhaled | | If unconscious, place in recovery position and seek medica advice. If symptoms persist, call a physician. | | | |
| In case of skin contact | | After contact with skin, wash immediately with plenty of wat and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention. | er | | |
| In cas | e of eye contact | Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. | | | |
| lf swa | llowed | Induce vomiting immediately and call a physician. Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital. | | | |
| 4.2 Most ii | mportant symptoms | nd effects, both acute and delayed | | | |
| Risks | | : Causes serious eye irritation. May cause damage to organs through prolonged or repeate | ed | | |

4.3 Indication of any immediate medical attention and special treatment needed

exposure.

SECTION 5: Firefighting measures

| 5.1 Extinguishing media Unsuitable extinguishing media | : | High volume water jet | | |
|---|-----|--|--|--|
| 5.2 Special hazards arising from | the | e substance or mixture | | |
| Specific hazards during fire fighting | : | Do not allow run-off from fire fighting to enter drains or water courses. | | |
| 5.3 Advice for firefighters | | | | |
| Special protective equipment for fire-fighters | : | Wear self-contained breathing apparatus for firefighting if nec- essary. | | |
| Further information | : | Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must | | |

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



MSeal M 811 PTA 210KG 1A2

| Version | Revision Date: 23.06.2020 | SDS Number: | Date of last issue: - |
|---------|---------------------------|--------------|---------------------------------|
| 1.0 | | 000000548977 | Date of first issue: 23.06.2020 |
| | | | |

be disposed of in accordance with local regulations.

Keep in suitable, closed containers for disposal.

SECTION 6: Accidental release measures

| 6.1 Personal precautions, protect Personal precautions | ive equipment and emergency procedures : Use personal protective equipment. |
|--|---|
| 6.2 Environmental precautions | |
| Environmental precautions | Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. |
| 6.3 Methods and material for cont | tainment and cleaning up |
| Methods for cleaning up | : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). |

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

| | Advice on safe handling Advice on protection against | : | Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Dispose of rinse water in accordance with local and national regulations. Product is not explosive. |
|-----|---|-----|--|
| | fire and explosion | | |
| | | | Normal measures for preventive fire protection. |
| | Hygiene measures | : | When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. |
| 7.2 | Conditions for safe storage, ir | ncl | uding any incompatibilities |
| | Requirements for storage areas and containers | : | Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Electrical installa- tions / working materials must comply with the technological safety standards. |
| | Further information on stor- | : | Keep only in the original container in a cool, dry, well- |

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



MSeal M 811 PTA 210KG 1A2

| Version 1.0 | Revision Date: 23.06.2020 | SDS Number: 000000548977 | Date of last issue: - Date of first issue: 23.06.2020 | |
|---|------------------------------|--|--|--|
| age conditions | | ventilated place away from ignition sources, heat or flame. Protect from direct sunlight. | | |
| Further information on stor- age stability | | : No decompos | sition if stored and applied as directed. | |
| 7.3 Specific end use(s) Specific use(s) | | | ant identified use(s) listed in Section 1 the advice this section 7 is to be observed. | |

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

The substances without values are not listed in the occupational exposure regulations for the validity area of this safety data sheet.

8.2 Exposure controls

| Personal protective equipment | | | | | |
|-------------------------------|---|--|--|--|--|
| Eye protection | Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems. | | | | |
| Hand protection | | | | | |
| Remarks : | The suitability for a specific workplace should be discussed with the producers of the protective gloves. | | | | |
| Skin and body protection : | Impervious clothing Choose body protection according to the amount and concen- tration of the dangerous substance at the work place. | | | | |
| Respiratory protection : | Wear respiratory protection if ventilation is inadequate. Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK). | | | | |
| Protective measures : | Do not inhale dust/fumes/aerosols. Avoid contact with the skin, eyes and clothing. Avoid exposure - obtain special instructions before use. Handle in accordance with good building materials hygiene and safety practice. Wearing of closed work clothing is recommended. | | | | |

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| Appearance | : | liquid |
|------------|---|----------------|
| Color | : | gray |
| Odor | : | characteristic |
| рН | : | not applicable |
| | | |

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



MSeal M 811 PTA 210KG 1A2

| Vers 1.0 | sion | Revision Date: 23.06.2020 | - | S Number: 0000548977 | Date of last issue: - Date of first issue: 23.06.2020 |
|-------------|------------------------------|------------------------------|---|--|--|
| | Melting | g point | : | No data available | e |
| | Boiling point Flash point | | : | > 200 °C > 100 °C Method: Flashpo flashpoint. | pint test using closed cup, determination of |
| | Flamm | ability (solid, gas) | : | not determined | |
| | Vapor | pressure | : | No data available | e |
| | Densit | у | : | 1,05 g/cm3 (23 ° | C) |
| | Bulk density | | : | (23 °C) not applicable | |
| | | ity(ies) ter solubility | : | insoluble (23 °C |) |
| | | n coefficient: n- I/water | : | not applicable fo | r mixtures |
| | | nition temperature | : | No data available | e |
| | Decomposition temperature | | : | No decomposition scribed/indicated | on if stored and handled as pre- l. |
| | Viscos | ity cosity, dynamic | : | 1.700 mPa.s (23 | °C) |
| | | ive properties | | Not explosive | |
| | | | · | - | et well supporting the supply of is not allocation. |
| | Oxidizi | ng properties | : | as oxidizing. | ctural properties the product is not classified |
| 9.2 | Other in | nformation | | | |
| | Metal o | corrosion rate | : | No corrosive effe | ect on metal. |
| | Self-ig | nition | : | not self-igniting | |

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions

ons : No decomposition if stored and applied as directed.

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".

•



MSeal M 811 PTA 210KG 1A2

| Version | Revision Date: | SDS Number: | Date of last issue: - |
|---------|----------------|--------------|---------------------------------|
| 1.0 | 23.06.2020 | 000000548977 | Date of first issue: 23.06.2020 |

10.4 Conditions to avoid

Conditions to avoid :

: See SDS section 7 - Handling and storage.

10.5 Incompatible materials

Materials to avoid

Strong acids Strong bases Strong oxidizing agents Strong reducing agents

10.6 Hazardous decomposition products

No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration toxicity

Not classified based on available information.

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



MSeal M 811 PTA 210KG 1A2

| Version 1.0 | Revision Date: 23.06.2020 | SDS Number: 000000548977 | Date of last issue: - Date of first issue: 23.06.2020 |
|----------------------|---------------------------------------|---|---|
| Furth | er information | | |
| Prod | uct: | | |
| Rema | arks | : No data availa | able |
| SECTION | N 12: Ecological info | rmation | |
| 12.1 Toxic | city | | |
| Prod | uct: | | |
| Ecote | oxicology Assessmen | t | |
| Acute | e aquatic toxicity | : Toxic to aquat | tic life. |
| Chror | nic aquatic toxicity | : Toxic to aquat | tic life with long lasting effects. |
| | istence and degradab ata available | lity | |
| 12.3 Bioa | ccumulative potential | | |
| Prod Bioac | uct: cumulation | : Remarks: No | data available. |
| Com | ponents: | | |
| dieth | ylmethylbenzenediam | ine: | |
| Partit | ion coefficient: n- | : log Pow: 1,38 | (25 °C) |
| octan | ol/water | pH: 8,6 Method: Partit method GLP: yes | ion coefficient (n-octanol/water), Shake-flask |
| | l ity in soil ata available | | |
| | Ilts of PBT and vPvB a | ssessment | |
| 12.6 Othe | r adverse effects | | |
| Prod | uct: | | |
| | ional ecological infor- | The product h | o enter soil, waterways or waste water channels. as not been tested. The statements on ecotoxi- een derived from the properties of the individual |

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



MSeal M 811 PTA 210KG 1A2

| Version | Revision Date: | SDS Number: | Date of last issue: - |
|---------|----------------|--------------|---------------------------------|
| 1.0 | 23.06.2020 | 000000548977 | Date of first issue: 23.06.2020 |

SECTION 13: Disposal considerations

| 13.1 Waste treatment methods | |
|------------------------------|--|
| Product | The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company. |
| Contaminated packaging | Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. |

SECTION 14: Transport information

14.1 UN number

| ADN | : UN 3082 |
|--------------------------------|---|
| ADR | : UN 3082 |
| RID | : UN 3082 |
| IMDG | : UN 3082 |
| ΙΑΤΑ | : UN 3082 |
| 14.2 UN proper shipping name | e |
| ADN | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIETHYLMETHYLBENZENEDIAMINE) |
| ADR | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIETHYLMETHYLBENZENEDIAMINE) |
| RID | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIETHYLMETHYLBENZENEDIAMINE) |
| IMDG | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIETHYLMETHYLBENZENEDIAMINE) |
| ΙΑΤΑ | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIETHYLMETHYLBENZENEDIAMINE) |
| 14.3 Transport hazard class(es | s) |
| ADN | : 9 |
| ADR | : 9 |
| RID | : 9 |

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



MSeal M 811 PTA 210KG 1A2

| Version 1.0 | 'n | Revision Date: 23.06.2020 | | 0S Number: 0000548977 | Date of last issue: - Date of first issue: 23.06.2020 |
|----------------|--|--|---|---------------------------------|--|
| IN | ٨DG | | : | 9 | |
| | | | • | 9 | |
| | | g group | • | 0 | |
| Pa | . DN acking abels | group | : | III 9 (EHSM) | |
| Pa Ha | | group Identification Number | : | III 90 9 (EHSM) | |
| Pa Ha | | group Identification Number | : | III 90 9 (EHSM) | |
| Pa La | IDG acking abels mS Co | group ode | : | III 9 (EHSM) F-A, S-F | |
| Pa ai Pa | acking ircraft) | Cargo) i instruction (cargo i group | : | 964 III Miscellaneous, Ei | nvironmentally hazardous |
| Pa ge Pa | acking er airc | Passenger) 9 instruction (passen- raft) 9 group | : | 964 III Miscellaneous, El | nvironmentally hazardous |
| | | nmental hazards | | , | |
| | DN nviron | mentally hazardous | : | no | |
| Α | DR | mentally hazardous | : | no | |
| | t D nviron | mentally hazardous | : | no | |
| | IDG Iarine | pollutant | : | yes | |
| 14.6 S | pecia | I precautions for use | r | | |

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



MSeal M 811 PTA 210KG 1A2

| Version | Revision Date: | SDS Number: | Date of last issue: - |
|---------|----------------|-------------|---------------------------------|
| 1.0 | 23.06.2020 | 00000548977 | Date of first issue: 23.06.2020 |

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Other regulations:

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

The ingredients of this product are reported in the following inventories: DSL :

1

TSCA

15.2 Chemical Safety Assessment

SECTION 16: Other information

Full text of other abbreviations

| Aquatic Acute | : | Hazardous to the aquatic environment - acute hazard |
|-----------------|---|---|
| Aquatic Chronic | : | Hazardous to the aquatic environment - chronic hazard |
| Eye Irrit. | : | Eye irritation |
| STOT RE | : | Specific target organ toxicity - repeated exposure |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, BioaccumuAccording to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



MSeal M 811 PTA 210KG 1A2

| Version | Revision Date: | SDS Number: | Date of last issue: - |
|---------|----------------|--------------|---------------------------------|
| 1.0 | 23.06.2020 | 000000548977 | Date of first issue: 23.06.2020 |

lative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB -Very Persistent and Very Bioaccumulative

SDS Author

Name: Zeynep Cakir Address: BASF Tuerk Kimya Sanayi ve Ticaret Ltd. Sti., 34746 Atasehir - Istanbul, Turkey Phone: +90 216 570 34 00 Email: <u>zeynep.cakir@basf.com</u> Certificate no: GBF-A-0-2748 Certification Date: 28.03.2018 Certificate Expiry Date: 28.03.2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

TR / EN