According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



# MasterSeal M 881 PART B

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.04.2020

 1.1
 31.12.2020
 000000249704
 Date of first issue: 16.04.2020

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : MasterSeal M 881 PART B

Product code : 00000000050175724

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : I

stance/Mixture

: Product for construction chemicals

Recommended restrictions

on use

: Industrial use, Professional use

1.3 Details of the supplier of the safety data sheet

Company : Master Builders Solutions

Yapı Kimyasalları Sanayi ve Ticaret Ltd.

Sti.,

Ataşehir Kuzey, C Kapısı 3E/ 5-12

34746 İstanbul, Turkey

Telephone : +902162178800

Telefax : +902162178800

E-mail address of person

responsible for the SDS

: mabas-eb@mbcc-group.com

## 1.4 Emergency telephone

ChemTel: +1-813-248-0585

# **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

#### Classification T.R. SEA No 28848

Acute toxicity, Category 4 H332: Harmful if inhaled.

Skin irritation, Category 2 H315: Causes skin irritation.

Eye irritation, Category 2 H319: Causes serious eye irritation.

Respiratory sensitization, Category 1 H334: May cause allergy or asthma symptoms or

breathing difficulties if inhaled.

Skin sensitization, Category 1 H317: May cause an allergic skin reaction.

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



## MasterSeal M 881 PART B

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.04.2020

 1.1
 31.12.2020
 000000249704
 Date of first issue: 16.04.2020

Carcinogenicity, Category 2 H351: Suspected of causing cancer.

Specific target organ toxicity - single exposure, Category 3, respiratory tract irritation

tation

Specific target organ toxicity - repeated

exposure, Category 2, Lung

H335: May cause respiratory irritation.

H373: May cause damage to organs through pro-

longed or repeated exposure.

#### 2.2 Label elements

## Labeling T.R. SEA No 28848

Hazard pictograms





Signal Word : Danger

Hazard Statements : H319 Causes serious eye irritation.

H315 Causes skin irritation. H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or

repeated exposure.

H335 May cause respiratory irritation.H351 Suspected of causing cancer.

Precautionary Statements

## Prevention:

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

non/ race protection.

P271 Use only outdoors or in a well-ventilated area.

P260 Do not breathe dust or mist.

P201 Obtain special instructions before use.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P202 Do not handle until all safety precautions have been

read and understood.

P284 In case of inadequate ventilation wear respiratory pro-

tection.

P272 Contaminated work clothing should not be allowed out

of the workplace.

P264 Wash face, hands and any exposed skin thoroughly

after handling.

#### Response:

P312 Call a POISON CENTER or doctor/ physician if you

feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with wa-

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



# MasterSeal M 881 PART B

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.04.2020

 1.1
 31.12.2020
 000000249704
 Date of first issue: 16.04.2020

ter for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P314 Get medical advice/ attention if you feel unwell.
P302 + P352 IF ON SKIN: Wash with plenty of water.
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

#### Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

#### Disposal:

P501 Dispose of contents/container to appropriate hazardous waste collection point.

Hazardous ingredients which must be listed on the label:

methylenediphenyl diisocyanate

Isocyanic acid, polymethylenepolyphenylene ester (P-MDI)

## **Additional Labeling:**

EUH204 Contains isocyanates. May produce an allergic reaction.

#### 2.3 Other hazards

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

#### **SECTION 3: Composition/information on ingredients**

## 3.2 Mixtures

Chemical nature : Preparation based on:

isocyanate

## Components

Chemical name	CAS-No. EC-No. Index-No. Registration num- ber	Classification	Concentration (% w/w)
methylenediphenyl diisocyanate	26447-40-5	Acute Tox.4; H332 Eye Irrit.2; H319 Skin Irrit.2; H315	>= 60 - <= 80

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



# MasterSeal M 881 PART B

Version Revision Date: SDS Number: Date of last issue: 16.04.2020 1.1 31.12.2020 000000249704 Date of first issue: 16.04.2020

		STOT SE3; H335 Skin Sens.1; H317 Resp. Sens.1; H334 Carc.2; H351	
Isocyanic acid, polymethylenepolyphenylene ester (P-MDI)	9016-87-9	Acute Tox.4; H332 Skin Irrit.2; H315 Eye Irrit.2A; H319 STOT SE3; H335 Skin Sens.1; H317 Resp. Sens.1; H334 Carc.2; H351 STOT RE2; H373	>= 20 - <= 40

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

## 4.1 Description of first-aid measures

General advice : Move out of dangerous area.

Show this material safety data sheet to the doctor in attend-

ance.

Do not leave the victim unattended.

If inhaled : Call a physician or poison control center immediately.

If unconscious, place in recovery position and seek medical

advice.

In case of skin contact : If skin irritation persists, call a physician.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Rinse mouth and then drink 200-300 ml of water.

Do NOT induce vomiting.

## 4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes skin irritation.

May cause an allergic skin reaction. Causes serious eye irritation.

Harmful if inhaled.

May cause allergy or asthma symptoms or breathing difficul-

ties if inhaled.

May cause respiratory irritation. Suspected of causing cancer.

May cause damage to organs through prolonged or repeated

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



# MasterSeal M 881 PART B

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.04.2020

 1.1
 31.12.2020
 000000249704
 Date of first issue: 16.04.2020

exposure.

## 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media : Foam

Water spray Dry powder

Carbon dioxide (CO2)

Unsuitable extinguishing

media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod: :

ucts

harmful vapours nitrogen oxides fumes/smoke carbon black

## 5.3 Advice for firefighters

Special protective equipment:

for fire-fighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Further information : Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Ensure adequate ventilation.

## 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



# MasterSeal M 881 PART B

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.04.2020

 1.1
 31.12.2020
 000000249704
 Date of first issue: 16.04.2020

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

**SECTION 7: Handling and storage** 

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.

Do not breathe vapors/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national

regulations.

Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Advice on protection against

fire and explosion

Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

 Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety

standards.

Further information on stor-

age conditions

Keep only in the original container in a cool, well-ventilated place. Protect from direct sunlight. Store protected against

freezing.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : For the relevant identified use(s) listed in Section 1 the advice

mentioned in this section 7 is to be observed.

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



# MasterSeal M 881 PART B

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.04.2020

 1.1
 31.12.2020
 000000249704
 Date of first issue: 16.04.2020

# **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

#### 8.2 Exposure controls

#### Personal protective equipment

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Hand protection

Remarks : Suitable chemical resistant safety gloves (EN 374) also with

prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc. Manufacturer's directions for use should be observed because of great diversity of types.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concen-

tration of the dangerous substance at the work place.

Respiratory protection : Respiratory protection in case of vapour/aerosol release.

Combination filter for gases/vapours of organic compounds and solid and liquid particles (f.e. EN 14387 Type A-P2)

Protective measures : Avoid contact with the skin, eyes and clothing.

No special measures necessary if stored and handled correct-

ly.

Handle in accordance with good building materials hygiene

and safety practice.

Wearing of closed work clothing is recommended.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Appearance : liquid

Color : yellowish to brown

Odor : earthy, musty

pH : Not applicable

Melting point : < 0 °C (1.013 hPa)

boiling temperature : > 200 °C (1.013 hPa)

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



## MasterSeal M 881 PART B

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.04.2020

 1.1
 31.12.2020
 000000249704
 Date of first issue: 16.04.2020

Flash point : approx. 220 °C

Method: Flashpoint test using closed cup, determination of

flashpoint.

Evaporation rate : not determined

Flammability (solid, gas) : not highly flammable

Vapor pressure : No data available

Relative vapor density : not determined

Density : approx. 1,22 g/cm3 (25 °C)

Bulk density : Not applicable

Solubility(ies)

Water solubility : Hydrolyzes to form water-insoluble compounds. (20 °C)

Partition coefficient: n-

octanol/water

: not applicable for mixtures

Autoignition temperature : No data available

Decomposition temperature : No decomposition if stored and handled as pre-

scribed/indicated.

Viscosity

Viscosity, dynamic : approx. 50 - 100 mPa.s (25 °C)

Explosive properties : Not explosive

Not explosive

Oxidizing properties : not fire-propagating

## 9.2 Other information

No data available

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No decomposition if stored and applied as directed.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

## 10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

#### 10.4 Conditions to avoid

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



## MasterSeal M 881 PART B

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.04.2020

 1.1
 31.12.2020
 000000249704
 Date of first issue: 16.04.2020

Conditions to avoid : See SDS section 7 - Handling and storage.

10.5 Incompatible materials

Materials to avoid : Strong acids

Strong bases

Strong oxidizing agents Strong reducing agents

## 10.6 Hazardous decomposition products

No hazardous decomposition products if stored and handled as prescribed/indicated.

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

#### **Acute toxicity**

Harmful if inhaled.

## Skin corrosion/irritation

Causes skin irritation.

## Serious eye damage/eye irritation

Causes serious eye irritation.

## Respiratory or skin sensitization

## Skin sensitization

May cause an allergic skin reaction.

## Respiratory sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

## Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Suspected of causing cancer.

## Reproductive toxicity

Not classified based on available information.

#### STOT-single exposure

May cause respiratory irritation.

#### STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

#### **Aspiration toxicity**

Not classified based on available information.

#### **Further information**

## **Product:**

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



# MasterSeal M 881 PART B

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.04.2020

 1.1
 31.12.2020
 000000249704
 Date of first issue: 16.04.2020

Remarks : No data available

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Product:**

## **Ecotoxicology Assessment**

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

#### 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

#### **Components:**

## Isocyanic acid, polymethylenepolyphenylene ester (P-MDI):

Partition coefficient: n-

octanol/water

: Remarks: Not applicable

## 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

Not relevant

# 12.6 Other adverse effects

## **Product:**

Adsorbed organic bound

halogens (AOX)

Remarks: This product contains no organically-bound halo-

gen.

Additional ecological infor-

mation

: No data available

## Components:

## methylenediphenyl diisocyanate:

Adsorbed organic bound

halogens (AOX)

Remarks: This product contains no organically-bound halo-

gen.

Additional ecological infor-

mation

Do not release untreated into natural waters.

Do not allow to enter soil, waterways or waste water channels.

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



# MasterSeal M 881 PART B

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.04.2020

 1.1
 31.12.2020
 000000249704
 Date of first issue: 16.04.2020

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Observe national and local legal requirements.

The waste code in accordance with the European waste catalog (EWC) must be specified in cooperation with disposal

agency/manufacturer/authorities.

Residues should be disposed of in the same manner as the

substance/product.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

## **SECTION 14: Transport information**

#### 14.1 UN number

Not regulated as a dangerous good

## 14.2 UN proper shipping name

Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

## 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

## 14.6 Special precautions for user

Not applicable

## 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

## Other regulations:

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

#### 15.2 Chemical Safety Assessment

Chemical Safety Assessment not required

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



# MasterSeal M 881 PART B

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.04.2020

 1.1
 31.12.2020
 000000249704
 Date of first issue: 16.04.2020

## **SECTION 16: Other information**

#### **Full text of H-Statements**

H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction. H319 : Causes serious eye irritation.

H332 : Harmful if inhaled.

H334 : May cause allergy or asthma symptoms or breathing difficul-

ties if inhaled.

H335 : May cause respiratory irritation. H351 : Suspected of causing cancer.

H373 : May cause damage to organs through prolonged or repeated

exposure.

#### Full text of other abbreviations

Acute Tox. : Acute toxicity
Carc. : Carcinogenicity
Eye Irrit. : Eye irritation

Resp. Sens. : Respiratory sensitization

Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitization

STOT RE : Target Organ Systemic Toxicant - Repeated exposure
STOT SE : Target Organ Systemic Toxicant - Single exposure
STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road: AICS - Australian Inventory of Chemical Substances: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



## MasterSeal M 881 PART B

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.04.2020

 1.1
 31.12.2020
 000000249704
 Date of first issue: 16.04.2020

Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

#### **SDS Author**

Name: Nazlı ÖZER

Address: Master Builders Solutions Yapı Kimyasalları Sanayi ve Ticaret Ltd. Şti. 34746 Ataşehir -

Istanbul, Turkey

Phone: +90 262 751-6845

Email: <a href="mazli.ozer@mbcc-group.com">nazli.ozer@mbcc-group.com</a> Certificate no: KDU-A-0-0077 Certification Date: 29.07.2020 Certificate Expiry Date: 29.07.2025

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

TR / EN