

Sika Igolflex-665 Formerly MasterSeal 665

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.12.2020	000000313646	Date of first issue: 31.12.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product for construction chemicals

1.1 Product identifier		
Trade name	:	Sika Igolflex-665 Formerly MasterSeal 665
Product code	:	00000000050132487

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-	:
stance/Mixture	

1.3 Details of the supplier of the safety data sheet

Company	:	Master Builders Solutions Yapı Kimyasalları Sanayi ve Ticaret Ltd. Sti., Ataşehir Kuzey, C Kapısı 3E/ 5-12 34746 İstanbul, Turkey
Telephone	:	+902162178800
Telefax	:	+902162178800
E-mail address of person responsible for the SDS	:	mabas-eb@mbcc-group.com

1.4 Emergency telephone

ChemTel: +1-813-248-0585

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification T.R. SEA No 28848

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS).

2.2 Label elements

Labeling T.R. SEA No 28848

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS).

2.3 Other hazards

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



Sika Igolflex-665 Formerly MasterSeal 665

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.12.2020	000000313646	Date of first issue: 31.12.2020

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature	: Polymer
Components	
Remarks	: No particular hazards known.

SECTION 4: First aid measures

4.1 Description of first-aid measures General advice : Do not leave the victim unattended. If inhaled If unconscious, place in recovery position and seek medical : advice. If symptoms persist, call a physician. In case of skin contact After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention. In case of eye contact 5 Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist. If swallowed : Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Foam

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



Sika Igolflex-665 Formerly MasterSeal 665

Versio 1.0	on	Revision Date: 31.12.2020		OS Number: 0000313646	Date of last issue: - Date of first issue: 31.12.2020
				Water spray Dry powder Carbon dioxide (0	202)
Unsuitable extinguishing media		:	water jet		
5.2 Special hazards arising from the			the	substance or mi	xture
	Hazard ucts	ous combustion prod-	:	harmful vapours nitrogen oxides fumes/smoke carbon black	
5.3 A	dvice	for firefighters			
	•	protective equipment fighters	:	Wear self-contain essary.	ed breathing apparatus for firefighting if nec-
F	Further	information	:	Use extinguishing	are for chemical fires. I measures that are appropriate to local cir- The surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protectiv	e equipment and emergency procedures				
Personal precautions :	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wear eye/face protection. Use personal protective clothing. Handle in accordance with good building materials hygiene and safety practice.				
6.2 Environmental precautions					
Environmental precautions :	Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.				
6.3 Methods and material for containment and cleaning up					
Methods for cleaning up :	Pick up with suitable appliance and dispose of. Dispose of absorbed material in accordance with regulations.				
6.4 Reference to other sections					
See sections: 7, 8, 11, 12 and 13.					
SECTION 7: Handling and storage	ge				
7.1 Precautions for safe handling					
Advice on safe handling :	For personal protection see section 8.				

Smoking, eating and drinking should be prohibited in the ap-



Sika Igolflex-665 Formerly MasterSeal 665

Ver 1.0	rsion	Revision Date: 31.12.2020		OS Number: 0000313646	Date of last issue: - Date of first issue: 31.12.2020
				plication area.	
Advice on protection against fire and explosion			:	Normal measures	for preventive fire protection.
	Hygier	e measures	:	General industria	hygiene practice.
7.2		ons for safe storage,	inc		
	Requirements for storage areas and containers		:		ions / working materials must comply with safety standards.
	Further information on stor- age conditions		:	Keep only in the original container in a cool, dry, well- ventilated place away from ignition sources, heat or flam Protect from direct sunlight.	
	Advice on common storage : No ma		No materials to b	e especially mentioned.	
	Furthe age sta	r information on stor- ability	on stor- : No decomposition if stored a		n if stored and applied as directed.
7.3	Specifi	c end use(s)			
	Specific use(s)		:		dentified use(s) listed in Section 1 the advice section 7 is to be observed.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Personal protective equipment Eye protection :		Safety glasses with side-shields (frame goggles) (e.g. EN 166)
Hand protection		
Remarks	:	impermeable gloves Synthetic rubber gloves Manufacturer's directions for use should be observed because of great diversity of types.
Skin and body protection	:	Body protection must be chosen based on level of activity and exposure.
Respiratory protection	:	Wear respiratory protection if ventilation is inadequate. Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).
Protective measures	:	Do not inhale dust/fumes/aerosols.



Sika Igolflex-665 Formerly MasterSeal 665

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.12.2020	000000313646	Date of first issue: 31.12.2020
		Avoid exposure Handle in acco and safety prac	with the skin, eyes and clothing. e - obtain special instructions before use. rdance with good building materials hygiene stice. sed work clothing is recommended.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

••••	Appearance	:	pasty
	Color	:	brown-black
	Odor	:	characteristic
	рН	:	11,5 - 12,5
	Melting point	:	Not applicable
	Flash point	:	Not applicable
	Flammability (solid, gas)	:	not flammable
	Vapor pressure	:	No data available
	Density	:	1,10 g/cm3 (20 °C)
	Bulk density	:	Not applicable
	Solubility(ies) Water solubility	:	emulsifiable
	Partition coefficient: n- octanol/water	:	No data available
	Autoignition temperature	:	No data available
	Decomposition temperature	:	No decomposition if stored and handled as pre- scribed/indicated.
	Explosive properties	:	Not explosive Not explosive
	Oxidizing properties	:	not fire-propagating
9.2	Other information Self-ignition	:	not self-igniting

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



Sika Igolflex-665 Formerly MasterSeal 665

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.12.2020	00000313646	Date of first issue: 31.12.2020

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Stable under recommended storage conditions. No hazards to be specially mentioned.
10.4 Conditions to avoid Conditions to avoid	:	See SDS section 7 - Handling and storage.
10.5 Incompatible materials Materials to avoid	:	Strong acids

: Strong acids
Strong bases
Strong oxidizing agents
Strong reducing agents

10.6 Hazardous decomposition products

No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



Sika Igolflex-665 Formerly MasterSeal 665

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.12.2020	000000313646	Date of first issue: 31.12.2020

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12: Ecological information

12.1 Toxicity

Ecotoxicology AssessmentAcute aquatic toxicity: This product has no known ecotoxicological effects.				
Chronic aquatic toxicity : This product has no known ecotoxicological effects.				
12.2 Persistence and degradability				
Product: Biodegradability : Remarks: Taking into consideration the properties of several ingredients, the product is estimated not to be readily biode gradable according to OECD classification.				
12.3 Bioaccumulative potential				
Product: Bioaccumulation : Remarks: No data available. Discharge into the environment must be avoided.				
12.4 Mobility in soil No data available				
12.5 Results of PBT and vPvB assessment				
Product: Assessment : Remarks: The product does not contain a substance fulfillin the PBT (persistent/bioaccumulative/toxic) criteria or the vP (very persistent/very bioaccumulative) criteria.	•			
12.6 Other adverse effects				

Product:



Sika Igolflex-665 Formerly MasterSeal 665

Version 1.0	Revision Date: 31.12.2020	SDS Number: 000000313646	Date of last issue: - Date of first issue: 31.12.2020
Ozon	e-Depletion Potential	•	roduct does not contain substances that are ion (EC) 1005/2009 on substances that de- layer.
Additi matio	onal ecological infor- n	: No data availabl	e

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	Observe national and local legal requirements. The waste code in accordance with the European waste cata- log (EWC) must be specified in cooperation with disposal agency/manufacturer/authorities. Residues should be disposed of in the same manner as the substance/product.	
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal.	

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Other regulations:



Sika Igolflex-665 Formerly MasterSeal 665

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.12.2020	00000313646	Date of first issue: 31.12.2020

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

15.2 Chemical Safety Assessment

Chemical Safety Assessment not required

SECTION 16: Other information

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB -Very Persistent and Very Bioaccumulative

SDS Author

Name: Nazlı ÖZER Address: Master Builders Solutions Yapı Kimyasalları Sanayi ve Ticaret Ltd. Şti. 34746 Ataşehir -Istanbul, Turkey

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



Sika Igolflex-665 Formerly MasterSeal 665

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.12.2020	000000313646	Date of first issue: 31.12.2020

Phone: +90 262 751-6845 Email: <u>nazli.ozer@mbcc-group.com</u> Certificate no: KDU-A-0-0077 Certification Date: 29.07.2020 Certificate Expiry Date: 29.07.2025

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

TR / EN