

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sikafloor P 617 PTB Formerly MasterTop P 617 PTB

Version	Revision Date:	SDS Number:	Date of last issue: 31.12.2020
2.0	06.03.2024	000000240342	Date of first issue: 31.12.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Sikafloor P 617 PTB Formerly MasterTop P 617 PTB
Product code : 00000000050001933

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Product for construction chemicals
Recommended restrictions on use : Reserved for industrial and professional use.

1.3 Details of the supplier of the safety data sheet

Company : Sika MBCC Turkey Yapı Kimyasalları Sanayi ve Ticaret Limited Şirketi
Ataşehir Kuzey, C Kapısı 3E/ 5-12
34746 İstanbul, Turkey
Telephone : +902162178800
Telefax : +902162178800
E-mail address of person responsible for the SDS : rpc@mbcc-group.com

1.4 Emergency telephone

ChemTel: +1-813-248-0585
National Emergency Telephone Number : Acil İlk Yardım Merkezi: 112 Ulusal Zehir Danışma Merkezi: 114 İtfaiye: 110

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification T.R. SEA No 28848 and subsequent amendments

Acute toxicity, Category 4	H302: Harmful if swallowed.
Acute toxicity, Category 4	H332: Harmful if inhaled.
Skin corrosion, Sub-category 1B	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitization, Category 1	H317: May cause an allergic skin reaction.

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sikafloor P 617 PTB Formerly MasterTop P 617 PTB

Version 2.0 Revision Date: 06.03.2024 SDS Number: 000000240342 Date of last issue: 31.12.2020
Date of first issue: 31.12.2020

Reproductive toxicity, Category 2	H361: Suspected of damaging fertility or the unborn child.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through prolonged or repeated exposure.
Long-term (chronic) aquatic hazard, Category 3	H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labeling T.R. SEA No 28848 and subsequent amendments

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H302 + H332 Harmful if swallowed or if inhaled.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H361 Suspected of damaging fertility or the unborn child.
H373 May cause damage to organs through prolonged or repeated exposure.
H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P260 Do not breathe mist or vapors.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

Hazardous ingredients which must be listed on the label:

Benzyl alcohol

4,4'-methylenebis(cyclohexylamine)

Copolymer of formaldehyde and aniline, hydrogenated

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sikafloor P 617 PTB Formerly MasterTop P 617 PTB

Version 2.0 Revision Date: 06.03.2024 SDS Number: 000000240342 Date of last issue: 31.12.2020
Date of first issue: 31.12.2020

N,N'-bis(3-aminopropyl)ethylenediamine
2-piperazin-1-ylethylamine
N-(2-aminoethyl)-1,3-propanediamine
2,4,6-tris(dimethylaminomethyl)phenol

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Preparation based on:
amine

Components

Chemical name	CAS-No. EC-No. Index-No. KKDIK Registration No.	SEA Classification	Concentration (% w/w)
Benzyl alcohol	100-51-6 202-859-9 603-057-00-5	Acute Tox. 4; H302 Acute Tox. 4; H332 Eye Irrit. 2; H319	>= 25 - < 50
4,4'-methylenebis(cyclohexylamine)	1761-71-3 217-168-8	Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1B; H317 STOT RE 2; H373 (Liver, Stomach, Skeletal muscle)	>= 10 - < 25
Copolymer of formaldehyde and aniline, hydrogenated	135108-88-2	Acute Tox. 3; H301 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1; H317 STOT RE 2; H373 Aquatic Chronic 3;	>= 10 - < 25

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sikafloor P 617 PTB Formerly MasterTop P 617 PTB

Version 2.0 Revision Date: 06.03.2024 SDS Number: 000000240342 Date of last issue: 31.12.2020
Date of first issue: 31.12.2020

2,4,6-tris(dimethylaminomethyl)phenol	90-72-2 202-013-9 603-069-00-0	H412 Acute Tox. 4; H302 Skin Corr. 1C; H314 Eye Dam. 1; H318	$\geq 5 - < 10$
N,N'-bis(3-aminopropyl)ethylenediamine	10563-26-5 234-147-9	Acute Tox. 4; H302 Acute Tox. 3; H311 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317	$\geq 3 - < 5$
2-piperazin-1-ylethylamine	140-31-8 205-411-0 612-105-00-4	Acute Tox. 4; H302 Acute Tox. 3; H311 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Chronic 3; H412 Repr. 2; H361 STOT RE 1; H372 (Respiratory system)	$\geq 3 - < 5$
N-(2-aminoethyl)-1,3-propanediamine	13531-52-7 236-882-0	Acute Tox. 4; H302 Acute Tox. 2; H310 Skin Corr. 1A; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 3; H402	$\geq 0,1 - < 1$
4,4'-methylenedianiline	101-77-9 202-974-4 612-051-00-1	Acute Tox. 3; H301 Skin Sens. 1; H317 Muta. 2; H341 Carc. 1B; H350 STOT SE 1; H370 (Liver, eye - retina) STOT RE 2; H373	$\geq 0,01 - < 0,1$

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sikafloor P 617 PTB Formerly MasterTop P 617 PTB

Version 2.0 Revision Date: 06.03.2024 SDS Number: 000000240342 Date of last issue: 31.12.2020
Date of first issue: 31.12.2020

		(Liver) Aquatic Acute 1; H400 Aquatic Chronic 1; H411 <hr/> M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 10	
--	--	--	--

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

- General advice : First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.
- If inhaled : Keep patient calm, remove to fresh air. If symptoms persist, seek medical advice.
- In case of skin contact : Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.
- In case of eye contact : Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.
- If swallowed : Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.
- Risks : Harmful if swallowed or if inhaled.
Causes severe skin burns and eye damage.
May cause an allergic skin reaction.
Causes serious eye damage.
Suspected of damaging fertility or the unborn child.

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sikafloor P 617 PTB Formerly MasterTop P 617 PTB

Version	Revision Date:	SDS Number:	Date of last issue: 31.12.2020
2.0	06.03.2024	000000240342	Date of first issue: 31.12.2020

May cause damage to organs through prolonged or repeated exposure.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Alcohol-resistant foam
Water spray
Dry powder
Carbon dioxide (CO₂)
Dry sand

Unsuitable extinguishing media : water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products : nitrogen oxides
corrosive gases/vapours
fumes/smoke
carbon oxides
carbon black

5.3 Advice for firefighters

Special protective equipment for fire-fighters : Wear a self-contained breathing apparatus.

Further information : The degree of risk is governed by the burning substance and the fire conditions.
If exposed to fire, keep containers cool by spraying with water.
Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems.
Contaminated extinguishing water must be disposed of in accordance with official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
Wear eye/face protection.
Use personal protective clothing.
Handle in accordance with good building materials hygiene and safety practice.

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sikafloor P 617 PTB Formerly MasterTop P 617 PTB

Version	Revision Date:	SDS Number:	Date of last issue: 31.12.2020
2.0	06.03.2024	000000240342	Date of first issue: 31.12.2020

6.2 Environmental precautions

Environmental precautions : Contain contaminated water/firefighting water.
Do not discharge into drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up with suitable appliance and dispose of.
Large spills should be collected mechanically (remove by pumping) for disposal.

6.4 Reference to other sections

For disposal considerations see section 13., For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid inhalation of dusts/mists/vapours.
Avoid skin contact.
Ensure adequate ventilation.
No special measures necessary provided product is used correctly.

Advice on protection against fire and explosion : The product is neither self-ignitable, nor an explosion hazard, nor does it promote fires.

Hygiene measures : When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect from direct sunlight.

Recommended storage temperature : > 5 - < 35 °C

Further information on storage stability : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sikafloor P 617 PTB Formerly MasterTop P 617 PTB

Version 2.0 Revision Date: 06.03.2024 SDS Number: 000000240342 Date of last issue: 31.12.2020
Date of first issue: 31.12.2020

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
4,4'-methylenedianiline	101-77-9	TWA	0,08 mg/m ³	2004/37/EC
Further information: Skin, Carcinogens or mutagens				

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Tightly fitting safety goggles (cage goggles) (e.g. EN 166) and face shield.

Hand protection

Remarks : Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc. Manufacturer's directions for use should be observed because of great diversity of types.

Skin and body protection : Body protection must be chosen based on level of activity and exposure.
acid- resp. lye-proof apron, e.g. of rubber (f.e. according to EN 14605)
protection boots, f.e. of rubber (e.g. according to EN 20346)
acid-proof chemical protection suit (f.e. according to EN 14605)

Respiratory protection : Wear respiratory protection if ventilation is inadequate.
Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

Protective measures : Do not inhale dust/fumes/aerosols.
Avoid contact with the skin, eyes and clothing.
Avoid exposure - obtain special instructions before use.
Handle in accordance with good building materials hygiene and safety practice.
Wearing of closed work clothing is recommended.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sikafloor P 617 PTB Formerly MasterTop P 617 PTB

Version 2.0 Revision Date: 06.03.2024 SDS Number: 000000240342 Date of last issue: 31.12.2020
Date of first issue: 31.12.2020

Appearance	:	liquid
Color	:	yellow
Odor	:	ammonia-like
Odor Threshold	:	not determined
pH	:	12
Melting point/range	:	< 0 °C
Boiling point/boiling range	:	> 200 °C (1.013 hPa)
Flash point	:	> 93,3 °C
Evaporation rate	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	2,66 hPa (21 °C)
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	1,0 g/cm ³
Solubility(ies)		
Water solubility	:	partly soluble
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	not applicable for mixtures
Autoignition temperature	:	No data available
Decomposition temperature	:	No decomposition if stored and handled as prescribed/indicated.
Viscosity		
Viscosity, dynamic	:	250 mPa.s (25 °C)
Viscosity, kinematic	:	250 mm ² /s (23 °C)
Explosive properties	:	Not explosive

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sikafloor P 617 PTB Formerly MasterTop P 617 PTB

Version	Revision Date:	SDS Number:	Date of last issue: 31.12.2020
2.0	06.03.2024	000000240342	Date of first issue: 31.12.2020

Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

Flammability (liquids) : No data available

Metal corrosion rate : Not corrosive to metals.

Particle size : Not applicable

Particle Size Distribution : Not applicable

Self-ignition : The substance or mixture is not classified as pyrophoric. The substance or mixture is not classified as self heating.

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

10.2 Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3 Possibility of hazardous reactions

Hazardous reactions : The product is stable if stored and handled as prescribed/indicated.

10.4 Conditions to avoid

Conditions to avoid : See SDS section 7 - Handling and storage.

10.5 Incompatible materials

Materials to avoid : reactive chemicals
Zinc
alkali or alkaline-earth metal
Product slowly corrodes copper, aluminium, zinc and galvanized surfaces.
Nitrous acid and other nitrosating agents
Together with nitrosating agents (f. i. nitrites, nitrogen oxides) nitrosamines may be formed under certain conditions. Nitrosamines showed a carcinogenic effect in animal experiment.
Organic acids
sodium hypochlorite
Peroxides
Oxidizing agents

10.6 Hazardous decomposition products

Nitric acid
Carbon monoxide

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sikafloor P 617 PTB Formerly MasterTop P 617 PTB

Version	Revision Date:	SDS Number:	Date of last issue: 31.12.2020
2.0	06.03.2024	000000240342	Date of first issue: 31.12.2020

Aldehydes
flammable, oxidizable substances
Hydrocarbons
Nitrosamine
nitrogen oxides

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Harmful if swallowed or if inhaled.

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Suspected of damaging fertility or the unborn child.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : Health injuries are not known or expected under normal use. The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sikafloor P 617 PTB Formerly MasterTop P 617 PTB

Version	Revision Date:	SDS Number:	Date of last issue: 31.12.2020
2.0	06.03.2024	000000240342	Date of first issue: 31.12.2020

SECTION 12: Ecological information

12.1 Toxicity

Product:

Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Components:

4,4'-methylenedianiline:

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 10

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: Taking into consideration the properties of several ingredients, the product is estimated not to be readily biodegradable according to OECD classification.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available.
Discharge into the environment must be avoided.

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:

Ozone-Depletion Potential : Remarks: The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sikafloor P 617 PTB Formerly MasterTop P 617 PTB

Version	Revision Date:	SDS Number:	Date of last issue: 31.12.2020
2.0	06.03.2024	000000240342	Date of first issue: 31.12.2020

Additional ecological information : Do not discharge product into the environment without control. The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Observe national and local legal requirements. The waste code in accordance with the European waste catalog (EWC) must be specified in cooperation with disposal agency/manufacturer/authorities. Residues should be disposed of in the same manner as the substance/product.

Contaminated packaging : Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned. Packs that cannot be cleaned should be disposed of in the same manner as the contents.

SECTION 14: Transport information

14.1 UN number

ADR : UN 2735
RID : UN 2735
IMDG : UN 2735
IATA : UN 2735

14.2 UN proper shipping name

ADR : AMINES, LIQUID, CORROSIVE, N.O.S.
(4,4-METHYLENEBIS(CYCLOHEXYLAMINE), 2-PIPERAZIN-1-YLETHYLAMINE)

RID : AMINES, LIQUID, CORROSIVE, N.O.S.
(4,4-METHYLENEBIS(CYCLOHEXYLAMINE), 2-PIPERAZIN-1-YLETHYLAMINE)

IMDG : AMINES, LIQUID, CORROSIVE, N.O.S.
(4,4-METHYLENEBIS(CYCLOHEXYLAMINE), 2-PIPERAZIN-1-YLETHYLAMINE)

IATA : Amines, liquid, corrosive, n.o.s.
(4,4-METHYLENEBIS(CYCLOHEXYLAMINE), 2-PIPERAZIN-1-YLETHYLAMINE)

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sikafloor P 617 PTB Formerly MasterTop P 617 PTB

Version 2.0 Revision Date: 06.03.2024 SDS Number: 000000240342 Date of last issue: 31.12.2020
Date of first issue: 31.12.2020

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADR	: 8	
RID	: 8	
IMDG	: 8	
IATA	: 8	

14.4 Packing group

ADR	
Packing group	: II
Classification Code	: C7
Hazard Identification Number	: 80
Labels	: 8
Tunnel restriction code	: (E)
RID	
Packing group	: II
Classification Code	: C7
Hazard Identification Number	: 80
Labels	: 8
IMDG	
Packing group	: II
Labels	: 8
EmS Code	: F-A, S-B
IATA (Cargo)	
Packing instruction (cargo aircraft)	: 855
Packing instruction (LQ)	: Y840
Packing group	: II
Labels	: Corrosive
IATA (Passenger)	
Packing instruction (passenger aircraft)	: 851
Packing instruction (LQ)	: Y840
Packing group	: II
Labels	: Corrosive

14.5 Environmental hazards

ADR	
Environmentally hazardous	: no
RID	
Environmentally hazardous	: no
IMDG	
Marine pollutant	: no

14.6 Special precautions for user

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sikafloor P 617 PTB Formerly MasterTop P 617 PTB

Version	Revision Date:	SDS Number:	Date of last issue: 31.12.2020
2.0	06.03.2024	000000240342	Date of first issue: 31.12.2020

Remarks : Characteristics of the product are irreversibly changed below the limit temperature.

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

KKDIK (30105 (Bis)) - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex 17) : Conditions of restriction for the following entries should be considered: Number on list 3

4,4'-methylenedianiline (Number on list 43, 28)

Regulation on Persistent Organic Pollutants (Number 30595 and subsequent amendments published) : Not applicable

Regulation on prevention of major industrial accidents. Reg number 30702 : Not applicable

Other regulations:

T.R. Regulation on Classification, Labeling and Packaging of Substances and Mixtures, dated December 11, 2013 and numbered 28848 from the Ministry of Environment and Urbanization and the subsequent amendments published.

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

15.2 Chemical Safety Assessment

Chemical Safety Assessment not required

SECTION 16: Other information

Full text of H-Statements

H301	: Toxic if swallowed.
H302	: Harmful if swallowed.
H310	: Fatal in contact with skin.
H311	: Toxic in contact with skin.

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sikafloor P 617 PTB Formerly MasterTop P 617 PTB

Version	Revision Date:	SDS Number:	Date of last issue: 31.12.2020
2.0	06.03.2024	000000240342	Date of first issue: 31.12.2020

- H314 : Causes severe skin burns and eye damage.
- H317 : May cause an allergic skin reaction.
- H318 : Causes serious eye damage.
- H319 : Causes serious eye irritation.
- H332 : Harmful if inhaled.
- H341 : Suspected of causing genetic defects.
- H350 : May cause cancer.
- H361 : Suspected of damaging fertility or the unborn child.
- H370 : Causes damage to organs.
- H372 : Causes damage to organs through prolonged or repeated exposure.
- H373 : May cause damage to organs through prolonged or repeated exposure.
- H400 : Very toxic to aquatic life.
- H402 : Harmful to aquatic life.
- H411 : Toxic to aquatic life with long lasting effects.
- H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

- Acute Tox. : Acute toxicity
- Aquatic Acute : Hazardous to the aquatic environment - acute hazard
- Aquatic Acute : Short-term (acute) aquatic hazard
- Aquatic Chronic : Hazardous to the aquatic environment - chronic hazard
- Aquatic Chronic : Long-term (chronic) aquatic hazard
- Carc. : Carcinogenicity
- Eye Dam. : Serious eye damage
- Eye Irrit. : Eye irritation
- Muta. : Germ cell mutagenicity
- Repr. : Reproductive toxicity
- Skin Corr. : Skin corrosion
- Skin Sens. : Skin sensitization
- STOT RE : Specific target organ toxicity - repeated exposure
- STOT SE : Specific target organ toxicity - single exposure
- 2004/37/EC : Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
- 2004/37/EC / TWA : Long term exposure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China;

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sikafloor P 617 PTB Formerly MasterTop P 617 PTB

Version	Revision Date:	SDS Number:	Date of last issue: 31.12.2020
2.0	06.03.2024	000000240342	Date of first issue: 31.12.2020

IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

SDS Author

Sika Yapı Kimyasalları A.Ş.

İlknur Sakarya

sakarya.ilknur@tr.sika.com

Telephone +90 216 581 06 00

Certification number: KDU01.13.04

Certification date: 22.02.2020

Sika Yapı Kimyasalları A.Ş.

Zeynep Çamur

camur.zeynep@tr.sika.com

Telephone +90 216 581 06 00

Certification number: TÜV/01.323.07

Certification date: 01.12.2021

Classification of the mixture:

Classification procedure:

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sikafloor P 617 PTB Formerly MasterTop P 617 PTB

Version 2.0	Revision Date: 06.03.2024	SDS Number: 000000240342	Date of last issue: 31.12.2020 Date of first issue: 31.12.2020
----------------	------------------------------	-----------------------------	---

Acute Tox. 4	H302	Based on product data or assessment
Acute Tox. 4	H332	Based on product data or assessment
Skin Corr. 1B	H314	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method
Repr. 2	H361	Calculation method
STOT RE 2	H373	Calculation method
Aquatic Chronic 3	H412	Based on product data or assessment

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

TR / EN