Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sikafloor® QuartzTop-100 Formerly MasterTop 100 natural

Version Revision Date: SDS Number: Date of last issue: 31.12.2020 1.1 13.10.2023 000000244016 Date of first issue: 31.12.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Sikafloor® QuartzTop-100 Formerly MasterTop 100 natural

Product code : 00000000050371522

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Product for construction chemicals

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : Sika MBCC Turkey Yapı Kimyasalları

Sanayi ve Ticaret Limited Şirketi Ataşehir Kuzey, C Kapısı 3E/ 5-12

34746 İstanbul, Turkey

Telephone : +902162178800

Telefax : +902162178800

E-mail address of person

responsible for the SDS

rpc@mbcc-group.com

1.4 Emergency telephone

ChemTel: +1-813-248-0585

National Emergency Tele-

phone Number

Acil İlkyardım Merkezi: 112 Ulusal Zehir Danışma Merkezi: 114

İtfaiye: 110

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification T.R. SEA No 28848 and subsequent amendments

Skin irritation, Category 2 H315: Causes skin irritation.

Serious eye damage, Category 1 H318: Causes serious eye damage.

Specific target organ toxicity - single ex-

posure, Category 3, Respiratory system

H335: May cause respiratory irritation.

2.2 Label elements

Labeling T.R. SEA No 28848 and subsequent amendments

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sikafloor® QuartzTop-100 Formerly MasterTop 100 natural

Version Revision Date: SDS Number: Date of last issue: 31.12.2020 13.10.2023 000000244016 Date of first issue: 31.12.2020

Hazard pictograms :





Signal Word : Danger

Hazard Statements : H315 Causes skin irritation.

H318 Causes serious eye damage.H335 May cause respiratory irritation.

Precautionary Statements : Prevention:

P261 Avoid breathing dust.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P304 + P340 + P312 IF INHALED: Remove person to fresh

air and keep comfortable for breathing. Call a POISON

CENTER/ doctor if you feel unwell.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER/ doctor.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container

tightly closed.

Hazardous ingredients which must be listed on the label:

Cement, portland, chemicals

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : modified cement mortar

Components

Chemical name		SEA Classification	Concentration
	EC-No. Index-No.		(% w/w)
	KKDIK Registra-		

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sikafloor® QuartzTop-100 Formerly MasterTop 100 natural

Version Revision Date: SDS Number: Date of last issue: 31.12.2020 1.1 13.10.2023 000000244016 Date of first issue: 31.12.2020

	tion No.					
Cement, portland, chemicals	65997-15-1 266-043-4	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system)	>= 30 - < 50			
Substances with a workplace exposure limit :						
crystalline silica	14808-60-7		>= 50 - < 70			
	238-878-4					

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice : First aid personnel should pay attention to their own safety.

Remove contaminated clothing.

If inhaled : After inhalation of dust.

Keep patient calm, remove to fresh air.

If difficulties occur: Seek medical attention.

In case of skin contact : After contact with skin, wash immediately with plenty of water

and soap.

Under no circumstances should organic solvent be used.

If irritation develops, seek medical attention.

In case of eye contact : Wash affected eyes for at least 15 minutes under running

water with eyelids held open, consult an eye specialist.

If swallowed : Immediately rinse mouth and then drink 200-300 ml of water,

seek medical attention.

Do not induce vomiting unless told to by a poison control cen-

ter or doctor.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes skin irritation.

Causes serious eye damage. May cause respiratory irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sikafloor® QuartzTop-100 Formerly MasterTop 100 natural

Version Revision Date: SDS Number: Date of last issue: 31.12.2020 13.10.2023 000000244016 Date of first issue: 31.12.2020 1.1

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Foam

> Water spray Dry powder

Carbon dioxide (CO2)

Product itself is non-combustible. Only the packaging materials can catch fire. The extinguishing agents normally used are

sufficient.

Unsuitable extinguishing

media

water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire

fighting

Product is not combustible or explosive.

No particular hazards known.

5.3 Advice for firefighters

for fire-fighters

Special protective equipment : Wear a self-contained breathing apparatus.

Further information Product itself is non-combustible; fire extinguishing method of

surrounding areas must be considered.

The degree of risk is governed by the burning substance and

the fire conditions.

Dispose of fire debris and contaminated extinguishing water in

accordance with official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid dust formation.

Avoid contact with skin and eyes. Use personal protective clothing.

Handle in accordance with good building materials hygiene

and safety practice.

6.2 Environmental precautions

Environmental precautions Do not discharge into drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up Sweep/shovel up.

Keep in suitable, closed containers for disposal.

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sikafloor® QuartzTop-100 Formerly MasterTop 100 natural

Version Revision Date: SDS Number: Date of last issue: 31.12.2020 13.10.2023 000000244016 Date of first issue: 31.12.2020

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of respirable particles.

Do not breathe vapors/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against

fire and explosion

Avoid dust formation. Provide appropriate exhaust ventilation

at places where dust is formed.

Hygiene measures : When using, do not eat, drink or smoke. Hands and/or face

should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Remove contaminated clothing immediately and clean before re-

use or dispose it if necessary.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety

standards.

Further information on stor-

age conditions

Containers should be stored tightly sealed in a dry place.

Recommended storage tem: :

perature

5 - 30 °C

Further information on stor-

age stability

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : For the relevant identified use(s) listed in Section 1 the advice

mentioned in this section 7 is to be observed.

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sikafloor® QuartzTop-100 Formerly MasterTop 100 natural

Version Revision Date: SDS Number: Date of last issue: 31.12.2020 1.1 13.10.2023 000000244016 Date of first issue: 31.12.2020

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Dust 15 mg/m3

Value type (Form of exposure): ZOAD/TWA (Total dust)

Basis: TR OEL DU

Further information: Allowable occupational exposure limit values

of mineral dusts

5 mg/m3

Value type (Form of exposure): ZOAD/TWA (Respirable part)

Basis: TR OEL DU

Further information: Allowable occupational exposure limit values

of mineral dusts

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
crystalline silica	14808-60-7	ZOAD/TWA (To- tal)	30 mg/m3 / %SiO2+2	TR OEL DU		
	Further information: Allowable occupational exposure limit values of mineral dusts					
		ZOAD/TWA (Respirable)	10 mg/m3 / %SiO2+2	TR OEL DU		
	Further information: Allowable occupational exposure limit values of mineral dusts					
		TWA (Respirable dust)	0,1 mg/m3	2004/37/EC		
	Further information: Carcinogens or mutagens					
Cement, portland, chemicals	65997-15-1	ZOAD/TWA	80 mg/m3 / %SiO2+2	TR OEL DU		
	Further information: Allowable occupational exposure limit values of mineral dusts					
		ZOAD/TWA (To- tal dust)	15 mg/m3	TR OEL DU		
	Further information: Allowable occupational exposure limit values of chemicals in dust form					
		ZOAD/TWA (Respirable dust)	5 mg/m3	TR OEL DU		
	Further information: Allowable occupational exposure limit values of chemicals in dust form					
formaldehyde	50-00-0	STEL	0,6 ppm 0,74 mg/m3	2004/37/EC		
	Further information: Dermal sensitisation, Carcinogens or mutagens					
		TWA	0,3 ppm 0,37 mg/m3	2004/37/EC		
	Further information: Dermal sensitisation, Carcinogens or mutagens					

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sikafloor® QuartzTop-100 Formerly MasterTop 100 natural

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 31.12.2020

 1.1
 13.10.2023
 000000244016
 Date of first issue: 31.12.2020

Good ventilation should be provided for intended indoor use to prevent accumulation of formaldehyde in ambient air and to avoid exceeding of the occupational exposure limit.

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Hand protection

Remarks : nitrile coated cotton gloves (e.g. EN 388, 374)

Skin and body protection : Body protection must be chosen based on level of activity and

exposure.

light protective clothing

Respiratory protection : Breathing protection if dusts are formed.

Filter type : Particle filter with medium efficiency for solid and liquid parti-

cles (e.g. EN 143 or 149, Type P2 or FFP2) (Particle filter EN

143 P2 or FFP2)

Protective measures : Avoid contact with the skin, eyes and clothing.

Avoid inhalation of dusts.

In order to prevent contamination while handling, closed work-

ing clothes and working gloves should be used.

Handle in accordance with good building materials hygiene

and safety practice.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : powder

Color : gray

Odor : odorless

Odor Threshold : Not determined due to potential health hazard by inhalation.

pH : substance/mixture is non-soluble (in water)

Melting temperature : approx. > 1.000 °C

boiling temperature : Not applicable

Flash point : does not flash

Evaporation rate : The product is a non-volatile solid.

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sikafloor® QuartzTop-100 Formerly MasterTop 100 natural

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 31.12.2020

 1.1
 13.10.2023
 000000244016
 Date of first issue: 31.12.2020

Flammability (solid, gas) : not flammable

Upper explosion limit / Upper

flammability limit

: As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance

with the intended use.

Lower explosion limit / Lower

flammability limit

As a result of our experience with this product and our

knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance

with the intended use.

Vapor pressure : No data available

Relative vapor density : Not applicable

Bulk density : 1.500 kg/m3

Solubility(ies)

Water solubility : insoluble (20 °C)

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

not applicable for mixtures

Decomposition temperature : No decomposition if stored and handled as pre-

scribed/indicated.

Explosive properties : Not explosive

Oxidizing properties : not fire-propagating

9.2 Other information

Self-heating substances : No data available

Particle size : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sikafloor® QuartzTop-100 Formerly MasterTop 100 natural

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 31.12.2020

 1.1
 13.10.2023
 000000244016
 Date of first issue: 31.12.2020

10.4 Conditions to avoid

Conditions to avoid : See SDS section 7 - Handling and storage.

10.5 Incompatible materials

Materials to avoid : Strong bases

Strong acids

10.6 Hazardous decomposition products

formaldehyde

Traces of the substances/groups of substances mentioned can be released at elevated temperatures.

The substances/substance groups mentioned are formed by hydrolysis.

The substances/groups of substances mentioned may be released during processing.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

Skin sensitization

Not classified due to lack of data.

Respiratory sensitization

Not classified due to lack of data.

Product:

Remarks : Chromate in this product has been reduced. Sensitization due

to chromate within stated shelf-live is unlikely.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT-single exposure

May cause respiratory irritation.

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sikafloor® QuartzTop-100 Formerly MasterTop 100 natural

Version Revision Date: SDS Number: Date of last issue: 31.12.2020 13.10.2023 000000244016 Date of first issue: 31.12.2020 1.1

STOT-repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

Further information

Product:

Remarks Health injuries are not known or expected under normal use.

> The product has not been tested. The statements on toxicology have been derived from the properties of the individual

components.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Ecotoxicology Assessment

Acute aquatic toxicity This product has no known ecotoxicological effects.

This product has no known ecotoxicological effects. Chronic aquatic toxicity

12.2 Persistence and degradability

Product:

Biodegradability Remarks: Not applicable for inorganic substances.

The product is slightly soluble in water. It can be eliminated

from water by abiotic processes.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

Product:

Distribution among environ-

mental compartments

Remarks: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater

is not expected.

The substance will not evaporate into the atmosphere from

the water surface.

12.5 Results of PBT and vPvB assessment

Product:

Assessment This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sikafloor® QuartzTop-100 Formerly MasterTop 100 natural

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 31.12.2020

 1.1
 13.10.2023
 000000244016
 Date of first issue: 31.12.2020

very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Other adverse effects

Product:

Ozone-Depletion Potential : Remarks: The product does not contain substances that are

listed in Regulation (EC) 1005/2009 on substances that de-

plete the ozone layer.

Additional ecological infor-

mation

The product gives rise to pH shifts.

Do not discharge product into the environment without control. The product has not been tested. The statement has been derived from the properties of the individual components.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Contaminated packaging : Completely emptied packagings can be given for recycling.

SECTION 14: Transport information

14.1 UN number

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.4 Packing group

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sikafloor® QuartzTop-100 Formerly MasterTop 100 natural

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 31.12.2020

 1.1
 13.10.2023
 000000244016
 Date of first issue: 31.12.2020

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA (Cargo) : Not regulated as a dangerous good

IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

KKDIK (30105 (Bis)) - Restrictions on the manufacture,

placing on the market and use of certain dangerous

substances, mixtures and articles (Annex 17)

Regulation on Persistent Organic Pollutants (Number

30595 and subsequent amendments published)

: Not applicable

: Not applicable

Regulation on prevention of major industrial

accidents. Reg number 30702

Not applicable

Other regulations:

T.R. Regulation on Classification, Labeling and Packaging of Substances and Mixtures, dated December 11, 2013 and numbered 28848 from the Ministry of Environment and Urbanization and the subsequent amendments published.

Regulation on Dust Control (No: 28812, 2013). Occupational Dust Exposure Limit Values (Annex 1)

15.2 Chemical Safety Assessment

Chemical Safety Assessment not required

SECTION 16: Other information

Full text of H-Statements

H315 : Causes skin irritation.

H318 : Causes serious eye damage.

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sikafloor® QuartzTop-100 Formerly MasterTop 100 natural

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 31.12.2020

 1.1
 13.10.2023
 000000244016
 Date of first issue: 31.12.2020

H335 : May cause respiratory irritation.

Full text of other abbreviations

Eye Dam. : Serious eye damage

Skin Irrit. : Skin irritation

STOT SE : Specific target organ toxicity - single exposure

2004/37/EC : Europe. Directive 2004/37/EC on the protection of workers

from the risks related to exposure to carcinogens or mutagens

at work

TR OEL DU : Türkiye. Regulation on Dust Control. Occupational Dust Expo-

sure Limit Values (Annex 1)

2004/37/EC / STEL : Short Term Exposure Limit 2004/37/EC / TWA : Long term exposure limit TR OEL DU / ZOAD/TWA : Time Weighted Average Value

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response: ELx - Loading rate associated with x% response: EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail: SADT - Self-Accelerating Decomposition Temperature: SDS - Safety Data Sheet: SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

SDS Author

Name: Nazlı ÖZER

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Sikafloor® QuartzTop-100 Formerly MasterTop 100 natural

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 31.12.2020

 1.1
 13.10.2023
 000000244016
 Date of first issue: 31.12.2020

Address: Master Builders Solutions Yapı Kimyasalları Sanayi ve Ticaret Ltd. Şti. 34746 Ataşehir -

Istanbul, Turkey

Phone: +90 262 751-6845

Email: nazli.ozer@mbcc-group.com
Certificate no: KDU-A-0-0077
Certification Date: 29.07.2020
Certificate Expiry Date: 29.07.2025

Classification of the mixture: Classification procedure:
Skin Irrit. 2 H315 Calculation method

Eye Dam. 1 H318 Calculation method STOT SE 3 H335 Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

TR / EN