

# SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



## Sika Ucrete PT3 MF40AS Formerly Ucrete PT3 MF40AS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.12.2020	000000265787	Date of first issue: 31.12.2020

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Sika Ucrete PT3 MF40AS Formerly Ucrete PT3 MF40AS  
Product code : 00000000050461248

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Product for construction chemicals  
Recommended restrictions on use : Industrial use, Professional use

#### 1.3 Details of the supplier of the safety data sheet

Company : Sika MBCC Turkey Yapı Kimyasalları Sanayi ve Ticaret Limited Şirketi  
Ataşehir Kuzey, C Kapısı 3E/ 5-12  
34746 İstanbul, Turkey  
Telephone : +902162178800  
Telefax : +902162178800  
E-mail address of person responsible for the SDS : [mabas-eb@mbcc-group.com](mailto:mabas-eb@mbcc-group.com)

#### 1.4 Emergency telephone

ChemTel: +1-813-248-0585

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification T.R. SEA No 28848

Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Specific target organ toxicity - single exposure, Category 3, respiratory tract irritation	H335: May cause respiratory irritation.

# SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



## Sika Ucrete PT3 MF40AS Formerly Ucrete PT3 MF40AS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.12.2020	000000265787	Date of first issue: 31.12.2020

### 2.2 Label elements

#### Labeling T.R. SEA No 28848

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H318 Causes serious eye damage.  
H315 Causes skin irritation.  
H335 May cause respiratory irritation.

Precautionary Statements : P102 Keep out of reach of children.

#### Prevention:

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
P261 Avoid breathing dust.  
P264 Wash face, hands and any exposed skin thoroughly after handling.

#### Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P315 Get immediate medical advice/ attention.  
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

#### Disposal:

P501 Dispose of contents/container to appropriate hazardous waste collection point.

Hazardous ingredients which must be listed on the label:

Calcium dihydroxide

Cement, portland, chemicals

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



## Sika Ucrete PT3 MF40AS Formerly Ucrete PT3 MF40AS

Version 1.0      Revision Date: 31.12.2020      SDS Number: 000000265787      Date of last issue: -  
Date of first issue: 31.12.2020

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Chemical nature : Fillers modified

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Calcium dihydroxide	1305-62-0 215-137-3	Skin Irrit.2; H315 Eye Dam.1; H318	< 25
Cement, portland, chemicals	65997-15-1 266-043-4	Skin Irrit.2; H315 Eye Dam.1; H318 STOT SE3; H335	< 25

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first-aid measures

General advice : First aid personnel should pay attention to their own safety.  
If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position).  
Immediately remove contaminated clothing.  
Move out of dangerous area.  
Consult a physician.  
Show this material safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.

If inhaled : After inhalation of dust.  
Keep patient calm, remove to fresh air.  
If difficulties occur:  
Seek medical attention.  
  
Consult a physician after significant exposure.  
If unconscious, place in recovery position and seek medical advice.

In case of skin contact : Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.  
  
If skin irritation persists, call a physician.  
If on skin, rinse well with water.  
If on clothes, remove clothes.

# SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



## Sika Ucrete PT3 MF40AS Formerly Ucrete PT3 MF40AS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.12.2020	000000265787	Date of first issue: 31.12.2020

In case of eye contact : Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

Small amounts splashed into eyes can cause irreversible tissue damage and blindness.  
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Continue rinsing eyes during transport to hospital.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.

If swallowed : Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.  
Do not induce vomiting unless told to by a poison control center or doctor.

Keep respiratory tract clear.  
Do NOT induce vomiting.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Take victim immediately to hospital.

### 4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes skin irritation.  
Causes serious eye damage.  
May cause respiratory irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Water spray  
Foam  
Dry powder  
Carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire : Do not allow run-off from fire fighting to enter drains or water

# SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



## Sika Ucrete PT3 MF40AS Formerly Ucrete PT3 MF40AS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.12.2020	000000265787	Date of first issue: 31.12.2020

---

fighting courses.

### 5.3 Advice for firefighters

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Avoid dust formation.  
Avoid breathing dust.  
Ensure adequate ventilation.

### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Neutralize with acid.  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of respirable particles.  
Do not breathe vapors/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Dispose of rinse water in accordance with local and national regulations.

# SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



## Sika Ucrete PT3 MF40AS Formerly Ucrete PT3 MF40AS

Version 1.0      Revision Date: 31.12.2020      SDS Number: 000000265787      Date of last issue: -  
Date of first issue: 31.12.2020

Advice on protection against fire and explosion : Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.

Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : Containers should be stored tightly sealed in a dry place.

### 7.3 Specific end use(s)

Specific use(s) : For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Calcium dihydroxide	1305-62-0	TWA (8 Hour)	5 mg/m <sup>3</sup>	TR OEL
		TWA (Respirable fraction)	1 mg/m <sup>3</sup>	2017/164/EU
Further information: Indicative				
		STEL (Respirable fraction)	4 mg/m <sup>3</sup>	2017/164/EU
		TWA value	5 mg/m <sup>3</sup>	OEL (TR)

### 8.2 Exposure controls

#### Personal protective equipment

Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

# SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



## Sika Ucrete PT3 MF40AS Formerly Ucrete PT3 MF40AS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.12.2020	000000265787	Date of first issue: 31.12.2020

- 
- |                          |   |  |
|--------------------------|---|--|
| Skin and body protection | : | Choose body protection according to the amount and concentration of the dangerous substance at the work place.   |
| Respiratory protection   | : | Breathing protection if dusts are formed.  |
| Filter type              | : | Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2) (Particle filter EN 143 P2 or FFP2)  |
| Protective measures      | : | Avoid contact with the skin, eyes and clothing.<br>Avoid inhalation of dusts.<br>In order to prevent contamination while handling, closed working clothes and working gloves should be used.<br>Handle in accordance with good building materials hygiene and safety practice. |

---

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

- |  |   |  |
|--|---|--|
| Appearance                                       | : | powder   |
| Color  | : | colored  |
| Odor   | : | characteristic   |
| Odor Threshold                                   | : | No data available  |
| pH   | : | 11 - 12 (20 °C)<br>(as aqueous suspension)   |
| Boiling point                                    | : | No data available  |
| Flash point                                      | : | Not applicable   |
| Evaporation rate                                 | : | The product is a non-volatile solid.   |
| Flammability (solid, gas)                        | : | not flammable  |
| Upper explosion limit / Upper flammability limit | : | As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use. |
| Lower explosion limit / Lower flammability limit | : | As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use. |

# SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



## Sika Ucrete PT3 MF40AS Formerly Ucrete PT3 MF40AS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.12.2020	000000265787	Date of first issue: 31.12.2020

---

Vapor pressure	:	Not applicable
Relative vapor density	:	The product is a non-volatile solid.
Bulk density	:	1.800 - 2.400 kg/m <sup>3</sup> (20 °C)
Solubility(ies)	:	
Water solubility	:	dispersible (20 °C)
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	Not applicable
Decomposition temperature	:	No decomposition if stored and handled as prescribed/indicated.
Viscosity	:	
Viscosity, dynamic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	not fire-propagating

### 9.2 Other information

Self-heating substances	:	No data available
-------------------------	---	-------------------

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions	:	No decomposition if stored and applied as directed.
---------------------	---	---

### 10.4 Conditions to avoid

Conditions to avoid	:	See SDS section 7 - Handling and storage.
---------------------	---	---

### 10.5 Incompatible materials

Materials to avoid	:	Strong bases Strong acids
--------------------	---	------------------------------



# SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



## Sika Ucrete PT3 MF40AS Formerly Ucrete PT3 MF40AS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.12.2020	000000265787	Date of first issue: 31.12.2020

---

### 10.6 Hazardous decomposition products

No hazardous decomposition products if stored and handled as prescribed/indicated.

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Not classified based on available information.

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### Respiratory sensitization

Not classified based on available information.

#### Product:

Remarks : Chromate in this product has been reduced. Sensitization due to chromate within stated shelf-life is unlikely.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

#### Reproductive toxicity

Not classified based on available information.

#### STOT-single exposure

May cause respiratory irritation.

#### STOT-repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

#### Further information

#### Product:

Remarks : No data available

# SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



## Sika Ucrete PT3 MF40AS Formerly Ucrete PT3 MF40AS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.12.2020	000000265787	Date of first issue: 31.12.2020

---

### SECTION 12: Ecological information

#### 12.1 Toxicity

**Product:**

**Ecotoxicology Assessment**

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

#### 12.2 Persistence and degradability

**Product:**

Biodegradability : Remarks: Not applicable for inorganic substances.

#### 12.3 Bioaccumulative potential

**Product:**

Bioaccumulation : Remarks: No data available.

#### 12.4 Mobility in soil

**Product:**

Distribution among environmental compartments : Remarks: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.  
The substance will not evaporate into the atmosphere from the water surface.

#### 12.5 Results of PBT and vPvB assessment

**Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### 12.6 Other adverse effects

No data available

---

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Product : Observe national and local legal requirements.  
Residues should be disposed of in the same manner as the

---

# SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



## Sika Ucrete PT3 MF40AS Formerly Ucrete PT3 MF40AS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.12.2020	000000265787	Date of first issue: 31.12.2020

substance/product.

Contaminated packaging : Completely emptied packagings can be given for recycling.

### SECTION 14: Transport information

#### 14.1 UN number

Not regulated as a dangerous good

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

#### 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Not applicable

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### Other regulations:

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

#### 15.2 Chemical Safety Assessment

Chemical Safety Assessment not required

### SECTION 16: Other information

#### Full text of H-Statements

H315	:	Causes skin irritation.
H318	:	Causes serious eye damage.

# SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



## Sika Ucrete PT3 MF40AS Formerly Ucrete PT3 MF40AS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.12.2020	000000265787	Date of first issue: 31.12.2020

H335 : May cause respiratory irritation.

### Full text of other abbreviations

Eye Dam. : Serious eye damage  
Skin Irrit. : Skin irritation  
STOT SE : Specific target organ toxicity - single exposure  
2017/164/EU : Commission Directive (EU) 2017/164 establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/161/EU  
OEL (TR) : Regulation on Protection of Health & Safety Measures from Risks related to Chemical Agents at Work (Turkey)  
TR OEL : Turkey. Chemical Agents at Work - Annex I: Indicative occupational exposure limit values  
2017/164/EU / STEL : Short Term Exposure Limit  
2017/164/EU / TWA : Limit Value - eight hours  
OEL (TR) / TWA value : Time Weighted Average (TWA):  
TR OEL / TWA (8 Hour) : Measured or calculated in relation to a reference period of eight-hour time-weighted average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations;

# SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



## Sika Ucrete PT3 MF40AS Formerly Ucrete PT3 MF40AS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.12.2020	000000265787	Date of first issue: 31.12.2020

---

UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### SDS Author

Name: Nazlı ÖZER  
Address: Master Builders Solutions Yapı Kimyasalları Sanayi ve Ticaret Ltd. Şti. 34746 Ataşehir - İstanbul, Turkey  
Phone: +90 262 751-6845  
Email: [nazli.ozer@mbcc-group.com](mailto:nazli.ozer@mbcc-group.com)  
Certificate no: KDU-A-0-0077  
Certification Date: 29.07.2020  
Certificate Expiry Date: 29.07.2025

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

TR / EN