According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



# MTile FLX 24 grey 25KG 5M2

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.12.2020 000000274376 Date of first issue: 31.12.2020

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : MTile FLX 24 grey 25KG 5M2

Product code : 00000000050374675

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Product for construction chemicals

stance/Mixture

Recommended restrictions

on use

: Industrial use, Professional use, Consumer use

1.3 Details of the supplier of the safety data sheet

Company : Master Builders Solutions

Yapı Kimyasalları Sanayi ve Ticaret Ltd.

Sti.,

Ataşehir Kuzey, C Kapısı 3E/ 5-12

34746 İstanbul, Turkey

Telephone : +902162178800

Telefax : +902162178800

E-mail address of person

responsible for the SDS

mabas-eb@mbcc-group.com

### 1.4 Emergency telephone

Acil İlk Yardım Merkezi: 112 Ulusal Zehir Danışma Merkezi: 114 İtfaiye: 110

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

#### Classification T.R. SEA No 28848

Skin irritation, Category 2 H315: Causes skin irritation.

Eye irritation, Category 1 H319: Causes serious eye irritation.

Specific target organ toxicity - single exH335: May cause respiratory irritation.

posure, Category 3

#### 2.2 Label elements

# Labeling T.R. SEA No 28848

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



# MTile FLX 24 grey 25KG 5M2

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.12.2020 000000274376 Date of first issue: 31.12.2020

Hazard pictograms :





Signal Word : Danger

Hazard Statements : H318 Causes serious eye damage.

H315 Causes skin irritation.

H335 May cause respiratory irritation.

Precautionary Statements : P102 Keep out of reach of children.

Prevention:

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

P261 Avoid breathing dust.

P264 Wash face, hands and any exposed skin thoroughly

after handling.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P315 Get immediate medical advice/ attention.

P304 + P340 IF INHALED: Remove person to fresh air and

keep comfortable for breathing.

P302 + P352 IF ON SKIN: Wash with plenty of soap and

water.

P332 + P313 If skin irritation occurs: Get medical advice/

attention.

P362 + P364 Take off contaminated clothing and wash it

before reuse.

Disposal:

P501 Dispose of contents/container to appropriate hazard-

ous waste collection point.

Hazardous ingredients which must be listed on the label:

Cement, portland, chemicals

# 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature : modified cement mortar

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



# MTile FLX 24 grey 25KG 5M2

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.12.2020 000000274376 Date of first issue: 31.12.2020

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration num- ber	Classification	Concentration (% w/w)
Cement, portland, chemicals	65997-15-1 266-043-4	Skin Irrit.2; H315 Eye Dam.1; H318 STOT SE3; H335	< 50

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

# 4.1 Description of first-aid measures

General advice : First aid personnel should pay attention to their own safety.

Remove contaminated clothing.

If inhaled : After inhalation of dust.

Keep patient calm, remove to fresh air.

If difficulties occur: Seek medical attention.

In case of skin contact : After contact with skin, wash immediately with plenty of water

and soap.

Under no circumstances should organic solvent be used.

If irritation develops, seek medical attention.

In case of eye contact : Wash affected eyes for at least 15 minutes under running

water with eyelids held open, consult an eye specialist.

If swallowed : Immediately rinse mouth and then drink 200-300 ml of water,

seek medical attention.

Do not induce vomiting unless told to by a poison control cen-

ter or doctor.

# 4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes skin irritation.

Causes serious eye damage. May cause respiratory irritation.

## 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media : Foam

Water spray

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



# MTile FLX 24 grey 25KG 5M2

Version **Revision Date:** SDS Number: Date of last issue: -

000000274376 Date of first issue: 31.12.2020 31.12.2020 1.0

Dry powder

Carbon dioxide (CO2)

Product itself is non-combustible. Only the packaging materials can catch fire. The extinguishing agents normally used are

sufficient.

Unsuitable extinguishing

media

water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire Product is not combustible or explosive.

fighting

No particular hazards known.

5.3 Advice for firefighters

for fire-fighters

Special protective equipment : Wear a self-contained breathing apparatus.

Further information Product itself is non-combustible; fire extinguishing method of

surrounding areas must be considered.

The degree of risk is governed by the burning substance and

the fire conditions.

Dispose of fire debris and contaminated extinguishing water in

accordance with official regulations.

### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid dust formation.

> Avoid contact with skin and eyes. Use personal protective clothing.

Handle in accordance with good building materials hygiene

and safety practice.

6.2 Environmental precautions

Environmental precautions Do not discharge into drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up Sweep up and shovel into suitable containers for disposal.

> Avoid dust formation. Rinse with plenty of water.

Sweep/shovel up.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



# MTile FLX 24 grey 25KG 5M2

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.12.2020 000000274376 Date of first issue: 31.12.2020

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Advice on safe handling : Avoid dust formation.

Avoid inhalation of dusts.

Avoid contact with skin and eyes.

The Cement contained in this product reacts alkaline when in contact with water or humidity. This may cause severe irritation of skin or mucous membranes. The humidity of the skin or mucous membranes is enough for this reaction. Prolonged direct contact to the dry product should be avoided therefore. Pour downwind and allow as little free fall as possible while

emptying bags into equipment.

Breathing must be protected when large quantities are de-

canted without local exhaust ventilation.

Advice on protection against

fire and explosion

No special precautions necessary.

Hygiene measures : When using, do not eat, drink or smoke. Hands and/or face

should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Remove contaminated clothing immediately and clean before re-

use or dispose it if necessary.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

 Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety

standards.

Further information on stor-

age conditions

Containers should be stored tightly sealed in a dry place.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : For the relevant identified use(s) listed in Section 1 the advice

mentioned in this section 7 is to be observed.

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
		or exposure)		

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



# MTile FLX 24 grey 25KG 5M2

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.12.2020 000000274376 Date of first issue: 31.12.2020

talc	14807-96-6	TWA (Respirable dust)	0,1 mg/m3	2004/37/EC			
	Further inforn	Further information: Carcinogens or mutagens					
			2 mg/m3	Recommen- dation of BASF			
	Further inforn	Further information: (suspended value of TRGS 900, dated 8/2005)					
Quartz (SiO2)	14808-60-7	TWA (Respirable dust)	0,1 mg/m3	2004/37/EC			
	Further inforn	Further information: Carcinogens or mutagens					

#### 8.2 Exposure controls

# Personal protective equipment

Eye protection : Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Hand protection

Remarks : nitrile coated cotton gloves (e.g. EN 388, 374)

Skin and body protection : Body protection must be chosen based on level of activity and

exposure.

light protective clothing

Respiratory protection : Breathing protection if dusts are formed.

Filter type : Particle filter with medium efficiency for solid and liquid parti-

cles (e.g. EN 143 or 149, Type P2 or FFP2) (Particle filter EN

143 P2 or FFP2)

Protective measures : Avoid contact with the skin, eyes and clothing.

Avoid inhalation of dusts.

In order to prevent contamination while handling, closed work-

ing clothes and working gloves should be used.

Handle in accordance with good building materials hygiene

and safety practice.

### **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Appearance : powder Color : gray

Odor : product specific

Odor Threshold : Not determined due to potential health hazard by inhalation.

pH : 11 - 12 (20 °C)

Concentration: 100 g/l

Melting point : Not applicable

Boiling point : Not applicable

Flash point : does not flash

Evaporation rate : The product is a non-volatile solid.

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



# MTile FLX 24 grey 25KG 5M2

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.12.2020 000000274376 Date of first issue: 31.12.2020

Upper explosion limit / Upper

flammability limit

: As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as

long as the product is used appropriately and in accordance

with the intended use.

Lower explosion limit / Lower

flammability limit

: As a result of our experience with this product and our

knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance

with the intended use.

Vapor pressure : No data available

Relative vapor density : The product is a non-volatile solid.

Bulk density : 1.800 - 2.400 kg/m3 (20 °C)

Solubility(ies)

Water solubility : partly miscible (20 °C)

Partition coefficient: n-

octanol/water

No data available

Autoignition temperature : Not applicable

Decomposition temperature : No decomposition if stored and handled as pre-

scribed/indicated.

Explosive properties : Not explosive

Not explosive

Oxidizing properties : Based on its structural properties the product is not classified

as oxidizing.

9.2 Other information

Self-heating substances : No data available

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

#### 10.2 Chemical stability

The product is stable if stored and handled as prescribed/indicated.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : The product is stable if stored and handled as pre-

scribed/indicated.

10.4 Conditions to avoid

Conditions to avoid : See SDS section 7 - Handling and storage.

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



# MTile FLX 24 grey 25KG 5M2

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.12.2020 000000274376 Date of first issue: 31.12.2020

# 10.5 Incompatible materials

Materials to avoid : Strong bases

Strong acids

# 10.6 Hazardous decomposition products

No hazardous decomposition products if stored and handled as prescribed/indicated.

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

### **Acute toxicity**

Not classified based on available information.

#### Skin corrosion/irritation

Causes skin irritation.

### Serious eye damage/eye irritation

Causes serious eye damage.

### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### Respiratory sensitization

Not classified based on available information.

### **Product:**

Remarks : Chromate in this product has been reduced. Sensitization due

to chromate within stated shelf-live is unlikely.

### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

### Reproductive toxicity

Not classified based on available information.

# STOT-single exposure

May cause respiratory irritation.

# STOT-repeated exposure

Not classified based on available information.

#### **Aspiration toxicity**

Not classified based on available information.

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



# MTile FLX 24 grey 25KG 5M2

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.12.2020 000000274376 Date of first issue: 31.12.2020

#### **Further information**

**Product:** 

Remarks : The product has not been tested. The statement has been

derived from the properties of the individual components.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

# **Product:**

# **Ecotoxicology Assessment**

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

### 12.2 Persistence and degradability

**Product:** 

Biodegradability : Remarks: Not applicable for inorganic substances.

### 12.3 Bioaccumulative potential

**Product:** 

Bioaccumulation : Remarks: The product will not be readily bioavailable due to

its consistency and insolubility in water.

### 12.4 Mobility in soil

# **Product:**

Distribution among environ-

mental compartments

Remarks: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater

is not expected.

The substance will not evaporate into the atmosphere from

the water surface.

# 12.5 Results of PBT and vPvB assessment

#### **Product:**

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



# MTile FLX 24 grey 25KG 5M2

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.12.2020 000000274376 Date of first issue: 31.12.2020

#### 12.6 Other adverse effects

#### **Product:**

Additional ecological infor-

mation

Do not discharge product into the environment without control. The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Observe national and local legal requirements.

Residues should be disposed of in the same manner as the

substance/product.

Contaminated packaging : Completely emptied packagings can be given for recycling.

Waste Code : 01 04 07¤, wastes containing hazardous substances from

physical and chemical processing of non-metalliferous miner-

als

### **SECTION 14: Transport information**

#### 14.1 UN number

Not regulated as a dangerous good

### 14.2 UN proper shipping name

Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

# 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

# 14.6 Special precautions for user

Not applicable

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



# MTile FLX 24 grey 25KG 5M2

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.12.2020 000000274376 Date of first issue: 31.12.2020

#### Other regulations:

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

#### 15.2 Chemical Safety Assessment

Chemical Safety Assessment not required

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H315 : Causes skin irritation.

H318 : Causes serious eye damage. H335 : May cause respiratory irritation.

#### Full text of other abbreviations

Eye Dam. : Serious eye damage

Skin Irrit. : Skin irritation

STOT SE : Specific target organ toxicity - single exposure

2004/37/EC : Europe. Directive 2004/37/EC on the protection of workers

from the risks related to exposure to carcinogens or mutagens

at work

Recommendation of BASF : Recommendation of BASF 2004/37/EC / TWA : Long term exposure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evalua-

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



# MTile FLX 24 grey 25KG 5M2

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.12.2020 000000274376 Date of first issue: 31.12.2020

tion, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

#### **SDS Author**

Name: Nazlı ÖZER

Address: Master Builders Solutions Yapı Kimyasalları Sanayi ve Ticaret Ltd. Şti. 34746 Ataşehir -

Istanbul, Turkey

Phone: +90 262 751-6845

Email: <a href="mazli.ozer@mbcc-group.com">nazli.ozer@mbcc-group.com</a> Certificate no: KDU-A-0-0077 Certification Date: 29.07.2020 Certificate Expiry Date: 29.07.2025

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

TR / EN