

# Safety data sheet

Page: 1/17

---

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 26.05.2015

Version: 1.0

Product: **MasterTop BC 372AS PTB**

(ID no. 30746200/SDS\_GEN\_EU/EN)

Date of print 12.01.2021

---

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

## MasterTop BC 372AS PTB

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Product for construction chemicals

### 1.3. Details of the supplier of the safety data sheet

Company:

BASF SE

67056 Ludwigshafen

GERMANY

Telephone: +49 621 60-0

E-mail address: global.info@basf.com

### 1.4. Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

---

## SECTION 2: Hazards Identification

### 2.1. Classification of the substance or mixture

According to Regulation (EC) No 1272/2008 [CLP]

Acute Tox. 4 (oral)

Skin Corr./Irrit. 1C

Skin Sens. 1

Aquatic Chronic 2

According to Directive 67/548/EEC or 1999/45/EC

## Possible Hazards:

Harmful if swallowed.

Causes burns.

May cause sensitization by skin contact.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

For the classifications not written out in full in this section the full text can be found in section 16.

**2.2. Label elements**According to Regulation (EC) No 1272/2008 [CLP]

## Pictogram:



## Signal Word:

Danger

## Hazard Statement:

H314 Causes severe skin burns and eye damage.

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

## Precautionary Statements (Prevention):

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P273 Avoid release to the environment.

P260 Do not breathe dust or mist.

P272 Contaminated work clothing should not be allowed out of the workplace.

P270 Do not eat, drink or smoke when using this product.

P264 Wash with plenty of water and soap thoroughly after handling.

## Precautionary Statements (Response):

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 26.05.2015

Version: 1.0

Product: **MasterTop BC 372AS PTB**

(ID no. 30746200/SDS\_GEN\_EU/EN)

Date of print 12.01.2021

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P310 Immediately call a POISON CENTER or doctor/physician.  
 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
 P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
 P362 + P364 Take off contaminated clothing and wash before reuse.  
 P391 Collect spillage.

Precautionary Statements (Storage):

P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents/container to hazardous or special waste collection point.

According to Regulation (EC) No 1272/2008 [CLP]

Hazard determining component(s) for labelling: POLYOXYPROPYLENEDIAMINE, 1-ETHYL-3-METHYLIMIDAZOLIUM DICYANAMIDE, 1,3-CYCLOHEXANEDIMETHANAMINE, M-PHENYLENEBIS(METHYLAMINE)

According to Directive 67/548/EEC or 1999/45/EC

Directive 1999/45/EC ('Preparation Directive')

Hazard symbol(s)

C Corrosive.



R-phrases(s)

R22 Harmful if swallowed.  
 R34 Causes burns.  
 R43 May cause sensitization by skin contact.  
 R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S-phrases(s)

S1/2 Keep locked-up and out of reach of children.  
 S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
 S29 Do not empty into drains.  
 S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.  
 S45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).  
 S51 Use only in well-ventilated areas.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 26.05.2015

Version: 1.0

Product: **MasterTop BC 372AS PTB**

(ID no. 30746200/SDS\_GEN\_EU/EN)

Date of print 12.01.2021

The product is classified and labelled in accordance with EC Directives.

Hazard determining component(s) for labelling: POLYOXYPROPYLENEDIAMINE, 1-ETHYL-3-METHYLIMIDAZOLIUM DICYANAMIDE, 1,3-CYCLOHEXANEDIMETHANAMINE, M-PHENYLENEBIS(METHYLAMINE)

### 2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

## SECTION 3: Composition/Information on Ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

#### Chemical nature

Preparation based on: amine

#### Hazardous ingredients (GHS)

according to Regulation (EC) No. 1272/2008

Poly[oxy(methyl-1,2-ethanediyl)],  $\alpha$ -(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)-

Content (W/W): < 50 %	Skin Corr./Irrit. 1C
CAS Number: 9046-10-0	Eye Dam./Irrit. 1
EC-Number: 618-561-0	Aquatic Chronic 2
REACH registration number: 01-2119557899-12	H314, H411

1H-Imidazolium, 1-ethyl-3-methyl-, salt with cyanocyanamide (1:1)

Content (W/W): < 10 %	Skin Sens. 1B
CAS Number: 370865-89-7	H317

Phenol, methylstyrenated

Content (W/W): < 5 %	Acute Tox. 4 (dermal)
CAS Number: 68512-30-1	Skin Corr./Irrit. 2
EC-Number: 270-966-8	Skin Sens. 1
REACH registration number: 1-2119555274-38	Aquatic Chronic 3
	H315, H312, H317, H412

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 26.05.2015

Version: 1.0

Product: **MasterTop BC 372AS PTB**

(ID no. 30746200/SDS\_GEN\_EU/EN)

Date of print 12.01.2021

**2,2,4(or 2,4,4)-Trimethylhexane-1,6-diamine**

Content (W/W): &lt; 5 %

CAS Number: 25513-64-8

EC-Number: 247-063-2

REACH registration number: 01-2119560598-25-0000

Acute Tox. 4 (oral)

Acute Tox. 4 (dermal)

Skin Corr./Irrit. 1C

Skin Sens. 1

Aquatic Chronic 3

H314, H312, H302, H317, H412

**benzyl alcohol**

Content (W/W): &lt; 7 %

CAS Number: 100-51-6

EC-Number: 202-859-9

REACH registration number: 01-2119492630-38

INDEX-Number: 603-057-00-5

Acute Tox. 4 (oral)

Acute Tox. 4 (Inhalation - mist)

Acute Tox. 4 (dermal)

Eye Dam./Irrit. 2

H319, H312, H332, H302

**Salicylic acid**

Content (W/W): &lt; 10 %

CAS Number: 69-72-7

EC-Number: 200-712-3

Acute Tox. 4 (oral)

Eye Dam./Irrit. 1

H318, H302

**Phenol, styrenated**

Content (W/W): &lt; 10 %

CAS Number: 61788-44-1

EC-Number: 262-975-0

Skin Corr./Irrit. 2

Skin Sens. 1

Aquatic Chronic 2

H315, H317, H411

**m-Phenylenebis(methylamine)**

Content (W/W): &lt; 5 %

CAS Number: 1477-55-0

EC-Number: 216-032-5

Acute Tox. 4 (oral)

Acute Tox. 4 (Inhalation - mist)

Skin Corr./Irrit. 1B

Eye Dam./Irrit. 1

Skin Sens. 1B

H332, H302, H317, H314

EUH071

**1,3-Cyclohexanedimethanamine**

Content (W/W): &lt; 7 %

CAS Number: 2579-20-6

EC-Number: 219-941-5

Acute Tox. 4 (oral)

Acute Tox. 4 (dermal)

Skin Corr./Irrit. 1C

Skin Sens. 1

H314, H312, H302, H317

**2,4,6-tris-(dimethylaminomethyl)-phenol**

---

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 26.05.2015

Version: 1.0

Product: **MasterTop BC 372AS PTB**

(ID no. 30746200/SDS\_GEN\_EU/EN)

Date of print 12.01.2021

---

Content (W/W): < 3 %	Acute Tox. 4 (oral)
CAS Number: 90-72-2	Skin Corr./Irrit. 2
EC-Number: 202-013-9	Eye Dam./Irrit. 2
INDEX-Number: 603-069-00-0	H319, H315, H302

Hazardous ingredients

according to Directive 1999/45/EC

Poly[oxy(methyl-1,2-ethanediyl)],  $\alpha$ -(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)-

Content (W/W): < 50 %  
CAS Number: 9046-10-0  
EC-Number: 618-561-0  
REACH registration number: 01-2119557899-12  
Hazard symbol(s): C  
R-phrase(s): 34, 52/53

1H-Imidazolium, 1-ethyl-3-methyl-, salt with cyanocyanamide (1:1)

Content (W/W): < 10 %  
CAS Number: 370865-89-7  
Hazard symbol(s): Xi  
R-phrase(s): 43, 52/53

Phenol, methylstyrenated

Content (W/W): < 5 %  
CAS Number: 68512-30-1  
EC-Number: 270-966-8  
REACH registration number: 1-2119555274-38  
Hazard symbol(s): Xi  
R-phrase(s): 38, 43, 52/53

2,2,4(or 2,4,4)-Trimethylhexane-1,6-diamine

Content (W/W): < 5 %  
CAS Number: 25513-64-8  
EC-Number: 247-063-2  
REACH registration number: 01-2119560598-25-0000  
Hazard symbol(s): C, Xn  
R-phrase(s): 22, 34, 43, 52/53

benzyl alcohol

Content (W/W): < 7 %  
CAS Number: 100-51-6  
EC-Number: 202-859-9  
REACH registration number: 01-2119492630-38  
INDEX-Number: 603-057-00-5  
Hazard symbol(s): Xn  
R-phrase(s): 20/22

Salicylic acid

Content (W/W): < 10 %  
CAS Number: 69-72-7

---

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 26.05.2015

Version: 1.0

Product: **MasterTop BC 372AS PTB**

(ID no. 30746200/SDS\_GEN\_EU/EN)

Date of print 12.01.2021

EC-Number: 200-712-3

Hazard symbol(s): Xn

R-phrase(s): 22, 41

Phenol, styrenated

Content (W/W): < 10 %

CAS Number: 61788-44-1

EC-Number: 262-975-0

Hazard symbol(s): Xi

R-phrase(s): 38, 43, 51/53

m-Phenylenebis(methylamine)

Content (W/W): < 5 %

CAS Number: 1477-55-0

EC-Number: 216-032-5

Hazard symbol(s): C

R-phrase(s): 20/22, 34, 43, 52/53

1,3-Cyclohexanedimethanamine

Content (W/W): < 7 %

CAS Number: 2579-20-6

EC-Number: 219-941-5

Hazard symbol(s): C

R-phrase(s): 22, 34, 43

2,4,6-tris-(dimethylaminomethyl)-phenol

Content (W/W): < 3 %

CAS Number: 90-72-2

EC-Number: 202-013-9

INDEX-Number: 603-069-00-0

Hazard symbol(s): Xn

R-phrase(s): 22, 36/38

For the classifications not written out in full in this section, including the indication of danger, the hazard symbols, the R phrases, and the hazard statements, the full text is listed in section 16.

---

## SECTION 4: First-Aid Measures

### 4.1. Description of first aid measures

First aid personnel should pay attention to their own safety. Immediately remove contaminated clothing.

If inhaled:

If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.

On skin contact:

After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Rinse mouth immediately and then drink plenty of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor.

#### **4.2. Most important symptoms and effects, both acute and delayed**

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

## **SECTION 5: Fire-Fighting Measures**

### **5.1. Extinguishing media**

Suitable extinguishing media:

foam, water spray, dry powder, carbon dioxide

Unsuitable extinguishing media for safety reasons:

water jet

### **5.2. Special hazards arising from the substance or mixture**

Carbon dioxide, carbon monoxide, nitrogen oxides, fumes/smoke, carbon black, corrosive gases/vapours

### **5.3. Advice for fire-fighters**

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

---

## **SECTION 6: Accidental Release Measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protective clothing. Do not breathe vapour/aerosol/spray mists. Handle in accordance with good building materials hygiene and safety practice.

### **6.2. Environmental precautions**



Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

### **6.3. Methods and material for containment and cleaning up**

For small amounts: Pick up with inert absorbent material (e.g. sand, earth etc.). Dispose of contaminated material as prescribed.

For large amounts: Pump off product.

### **6.4. Reference to other sections**

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

---

## **SECTION 7: Handling and Storage**

### **7.1. Precautions for safe handling**

Avoid aerosol formation. Avoid inhalation of mists/vapours. Avoid skin contact. Ensure adequate ventilation. No special measures necessary provided product is used correctly.

Protection against fire and explosion:

The product does not contribute to the spreading of flames, nor is it self combustible, not explosive.

### **7.2. Conditions for safe storage, including any incompatibilities**

Suitable materials for containers: Metal container, tinned carbon steel (Tinplate)

Further information on storage conditions: Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect from direct sunlight. Store protected against freezing.

### **7.3. Specific end use(s)**

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

---

## **SECTION 8: Exposure Controls/Personal Protection**

### **8.1. Control parameters**

Components with occupational exposure limits

64-17-5: ethanol; ethyl alcohol

69-72-7: Salicylic acid

100-51-6: benzyl alcohol

1477-55-0: m-Phenylenebis(methylamine)

### **8.2. Exposure controls**

Personal protective equipment

**Respiratory protection:**

Wear respiratory protection if ventilation is inadequate. Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

**Hand protection:**

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc. Manufacturer's directions for use should be observed because of great diversity of types.

**Eye protection:**

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

**Body protection:**

Body protection must be chosen based on level of activity and exposure.

**General safety and hygiene measures**

Do not inhale gases/vapours/aerosols. Avoid contact with the skin, eyes and clothing. Handle in accordance with good building materials hygiene and safety practice. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks).

---

## SECTION 9: Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

Form:	suspension
Colour:	black
Odour:	amine-like
pH value:	strongly alkaline
Melting point:	No data available.
Boiling point:	> 200 °C
Flash point:	63.00 °C (Tag closed cup)
Evaporation rate:	No data available.
Flammability:	not self-igniting
Flammability of Aerosol Products:	not applicable, the product does not form flammable aerosoles
Lower explosion limit:	No data available.
Ignition temperature:	Unspecified
Vapour pressure:	Unspecified

---

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 26.05.2015

Version: 1.0

Product: **MasterTop BC 372AS PTB**

(ID no. 30746200/SDS\_GEN\_EU/EN)

Date of print 12.01.2021

Density: 1.02 g/cm<sup>3</sup>  
(23 °C)

Relative vapour density (air):  
No applicable information available.

Solubility in water: partly soluble  
(20 °C)

Partitioning coefficient n-octanol/water (log K<sub>ow</sub>):  
Unspecified

Self ignition: not self-igniting

Thermal decomposition: not determined

Viscosity, dynamic: 550 mPa.s  
(23 °C)

Viscosity, kinematic:  
No data available.

Explosion hazard: not explosive

Fire promoting properties: not fire-propagating

## 9.2. Other information

Bulk density:  
(23 °C)  
not applicable

Miscibility with water:  
(20 °C)  
partially (e.g. >10% <90%)

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

---

## SECTION 10: Stability and Reactivity

### 10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: No corrosive effect on metal.

### 10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

### 10.3. Possibility of hazardous reactions

The product is stable if stored and handled as prescribed/indicated.

### 10.4. Conditions to avoid

See MSDS section 7 - Handling and storage.

### 10.5. Incompatible materials

Substances to avoid:

zinc, Aluminium, oxidizing agents, strong alkalies, acids

## 10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

---

## SECTION 11: Toxicological Information

### 11.1. Information on toxicological effects

#### Acute toxicity

Assessment of acute toxicity:

Of moderate toxicity after single ingestion. The product has not been tested. The statement has been derived from the properties of the individual components.

#### Irritation

Assessment of irritating effects:

Corrosive! Damages skin and eyes. The product has not been tested. The statement has been derived from the properties of the individual components.

#### Respiratory/Skin sensitization

Assessment of sensitization:

Sensitization after skin contact possible. The product has not been tested. The statement has been derived from the properties of the individual components.

#### Germ cell mutagenicity

Assessment of mutagenicity:

The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

#### Carcinogenicity

Assessment of carcinogenicity:

The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

#### Reproductive toxicity

Assessment of reproduction toxicity:

The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

#### Developmental toxicity

Assessment of teratogenicity:

The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

#### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

No reliable data was available concerning repeated dose toxicity. Based on available Data, the classification criteria are not met.

#### Other relevant toxicity information

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses. The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

---

## **SECTION 12: Ecological Information**

### **12.1. Toxicity**

Assessment of aquatic toxicity:

Acutely harmful for aquatic organisms. May cause long-term adverse effects in the aquatic environment. The product has not been tested. The statement has been derived from the properties of the individual components.

### **12.2. Persistence and degradability**

Assessment biodegradation and elimination (H<sub>2</sub>O):

Inherently biodegradable. The insoluble fraction can be removed by mechanical means in suitable waste water treatment plants.

The polymer component of the product is poorly biodegradable.

### **12.3. Bioaccumulative potential**

Assessment bioaccumulation potential:

No data available.

Discharge into the environment must be avoided.

### **12.4. Mobility in soil**

Assessment transport between environmental compartments:

Volatility: No data available.

### **12.5. Results of PBT and vPvB assessment**

The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative).

### **12.6. Other adverse effects**

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 26.05.2015

Version: 1.0

Product: **MasterTop BC 372AS PTB**

(ID no. 30746200/SDS\_GEN\_EU/EN)

Date of print 12.01.2021

The product does not contain substances that are listed in Annex I of Regulation (EC) 2037/2006 on substances that deplete the ozone layer.

### 12.7. Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control. The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

## SECTION 13: Disposal Considerations

### 13.1. Waste treatment methods

Observe national and local legal requirements.

Residues should be disposed of in the same manner as the substance/product.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

## SECTION 14: Transport Information

### Land transport

ADR

UN number	UN2735
UN proper shipping name:	AMINES, LIQUID, CORROSIVE, N.O.S. (contains POLYETHERDIAMINE)
Transport hazard class(es):	8, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	Tunnel code: E

RID

UN number	UN2735
UN proper shipping name:	AMINES, LIQUID, CORROSIVE, N.O.S. (contains POLYETHERDIAMINE)
Transport hazard class(es):	8, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	None known

**Inland waterway transport**

ADN

UN number	UN2735
UN proper shipping name:	AMINES, LIQUID, CORROSIVE, N.O.S. (contains POLYETHERDIAMINE)
Transport hazard class(es):	8, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	None known
Transport in inland waterway vessel:	Not evaluated

**Sea transport**

IMDG

UN number:	UN 2735
UN proper shipping name:	AMINES, LIQUID, CORROSIVE, N.O.S. (contains POLYETHERDIAMINE)
Transport hazard class(es):	8, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	Marine pollutant: YES None known

**Air transport**

IATA/ICAO

UN number:	UN 2735
UN proper shipping name:	AMINES, LIQUID, CORROSIVE, N.O.S. (contains POLYETHERDIAMINE)
Transport hazard class(es):	8
Packing group:	III
Environmental hazards:	No Mark as dangerous for the environment is needed
Special precautions for user:	None known

**14.1. UN number**

See corresponding entries for "UN number" for the respective regulations in the tables above.

**14.2. UN proper shipping name**

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

**14.3. Transport hazard class(es)**

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

**14.4. Packing group**

See corresponding entries for "Packing group" for the respective regulations in the tables above.

**14.5. Environmental hazards**

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

**14.6. Special precautions for user**

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

**14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Regulation:	Not evaluated
Shipment approved:	Not evaluated
Pollution name:	Not evaluated
Pollution category:	Not evaluated
Ship Type:	Not evaluated

**SECTION 15: Regulatory Information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

**15.2. Chemical Safety Assessment**

Chemical Safety Assessment not required

**SECTION 16: Other Information**

Full text of the classifications, including the indication of danger, the hazard symbols, the R phrases, and the hazard statements, if mentioned in section 2 or 3:

C	Corrosive.
Xi	Irritant.
Xn	Harmful.
34	Causes burns.
52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
43	May cause sensitization by skin contact.



---

 BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 26.05.2015

Version: 1.0

Product: **MasterTop BC 372AS PTB**

(ID no. 30746200/SDS\_GEN\_EU/EN)

Date of print 12.01.2021

38	Irritating to skin.
22	Harmful if swallowed.
20/22	Harmful by inhalation and if swallowed.
41	Risk of serious damage to eyes.
51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
36/38	Irritating to eyes and skin.
Acute Tox.	Acute toxicity
Skin Corr./Irrit.	Skin corrosion/irritation
Skin Sens.	Skin sensitization
Aquatic Chronic	Hazardous to the aquatic environment - chronic
Eye Dam./Irrit.	Serious eye damage/eye irritation
H314	Causes severe skin burns and eye damage.
H411	Toxic to aquatic life with long lasting effects.
H317	May cause an allergic skin reaction.
H315	Causes skin irritation.
H312	Harmful in contact with skin.
H412	Harmful to aquatic life with long lasting effects.
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H318	Causes serious eye damage.
EUH071	Corrosive to the respiratory tract.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

---

 Vertical lines in the left hand margin indicate an amendment from the previous version.