

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDİK Annex-2 Regulation, 23.06.2017, No: 30105

MasterTop TC 485W MTO Part B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.12.2022	960000008513	Date of first issue: 01.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : MasterTop TC 485W MTO Part B
Product code : 00000000050000863

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Product for construction chemicals

1.3 Details of the supplier of the safety data sheet

Company : Master Builders Solutions
Yapı Kimyasalları Sanayi ve Ticaret Ltd.
Sti.,
Ataşehir Kuzey, C Kapısı 3E/ 5-12
34746 İstanbul, Turkey

Telephone : +902162178800

Telefax : +902162178800

E-mail address of person responsible for the SDS : product-safety@mbcc-group.com

1.4 Emergency telephone

ChemTel: +1-813-248-0585

National Emergency Telephone Number : Acil İlkyardım Merkezi: 112 Ulusal Zehir Danışma Merkezi: 114
İtfaiye: 110

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification T.R. SEA No 28848 and subsequent amendments

Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitization, Category 1	H317: May cause an allergic skin reaction.
Long-term (chronic) aquatic hazard, Category 2	H411: Toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

MasterTop TC 485W MTO Part B

Version 1.0 Revision Date: 01.12.2022 SDS Number: 960000008513 Date of last issue: -
Date of first issue: 01.12.2022

2.2 Label elements

Labeling T.R. SEA No 28848 and subsequent amendments

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**
P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
P264 Wash skin thoroughly after handling.
P273 Avoid release to the environment.
P280 Wear protective gloves/ eye protection/ face protection.
Response:
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.
P391 Collect spillage.

Hazardous ingredients which must be listed on the label:

Linseed oil, polymer w/ bis-A, bis-A diglycidyl ether, diethylenetriamine, formaldehyde, glycidyl Ph ether, pentaethylenehexamine

2-Propenenitrile, reaction products with 3-amino-1,5,5-trimethylcyclohexanemethanamine
m-phenylenebis(methylamine)

3-aminomethyl-3,5,5-trimethylcyclohexylamine

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No.	SEA Classification	Concentration (% w/w)

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

MasterTop TC 485W MTO Part B

Version 1.0 Revision Date: 01.12.2022 SDS Number: 960000008513 Date of last issue: -
Date of first issue: 01.12.2022

	KKDIK Registration No.		
Aliphatic polyamine	Not Assigned	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	$\geq 2,5 - < 10$
propan-2-ol	67-63-0 200-661-7 603-117-00-0	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336	$\geq 1 - < 10$
Linseed oil, polymer w/ bis-A, bis-A diglycidyl ether, diethylenetriamine, formaldehyde, glycidyl Ph ether, pentaethylenehexamine	68915-81-1	Skin Irrit. 2; H315 Eye Dam. 1; H318	$\geq 3 - < 10$
2-Propenenitrile, reaction products with 3-amino-1,5,5-trimethylcyclohexanemethanamine	90530-15-7 292-053-3	Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Chronic 2; H411	$\geq 1 - < 2,5$
m-phenylenebis(methylamine)	1477-55-0 216-032-5	Acute Tox. 4; H302 Acute Tox. 4; H332 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Chronic 3; H412	$\geq 0,1 - < 1$
3-aminomethyl-3,5,5-trimethylcyclohexylamine	2855-13-2 220-666-8 612-067-00-9	Acute Tox. 4; H302 Acute Tox. 4; H312 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Chronic 3; H412	$\geq 0,25 - < 1$
Substances with a workplace exposure limit :			
Titanium dioxide	13463-67-7 236-675-5 022-006-00-2		$\geq 20 - < 30$
talc	14807-96-6 238-877-9		$\geq 10 - < 20$

For explanation of abbreviations see section 16.

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

MasterTop TC 485W MTO Part B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.12.2022	960000008513	Date of first issue: 01.12.2022

SECTION 4: First aid measures

4.1 Description of first-aid measures

- General advice : First aid personnel should pay attention to their own safety. Immediately remove contaminated clothing.
- If inhaled : Keep patient calm, remove to fresh air. If symptoms persist, seek medical advice.
- In case of skin contact : After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.
- In case of eye contact : Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.
- If swallowed : Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor.

4.2 Most important symptoms and effects, both acute and delayed

- Risks : Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically.
-

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Foam
Water spray
Dry powder
Carbon dioxide (CO₂)
- Unsuitable extinguishing media : water jet

5.2 Special hazards arising from the substance or mixture

- Hazardous combustion products : fumes/smoke
harmful vapours
Carbon oxides
nitrogen oxides
carbon black

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

MasterTop TC 485W MTO Part B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.12.2022	960000008513	Date of first issue: 01.12.2022

5.3 Advice for firefighters

- Special protective equipment for fire-fighters : Wear a self-contained breathing apparatus.
- Further information : The degree of risk is governed by the burning substance and the fire conditions.
If exposed to fire, keep containers cool by spraying with water. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Contaminated extinguishing water must be disposed of in accordance with official regulations.
-

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
Wear eye/face protection.
Use personal protective clothing.
Handle in accordance with good building materials hygiene and safety practice.

6.2 Environmental precautions

- Environmental precautions : Contain contaminated water/firefighting water.
Do not discharge into drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Pick up with suitable appliance and dispose of.
Dispose of absorbed material in accordance with regulations.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Advice on safe handling : Avoid inhalation of dusts/mists/vapours.
Avoid skin contact.
Ensure adequate ventilation.
No special measures necessary provided product is used correctly.
- Advice on protection against fire and explosion : The product is neither self-ignitable, nor an explosion hazard, nor does it promote fires.
- Hygiene measures : When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied. Gloves must be inspected regularly and prior

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

MasterTop TC 485W MTO Part B

Version 1.0 Revision Date: 01.12.2022 SDS Number: 960000008513 Date of last issue: -
Date of first issue: 01.12.2022

to each use. Replace if necessary (e.g. pinhole leaks).

7.2 Conditions for safe storage, including any incompatibilities

Further information on storage conditions : Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect from direct sunlight.

7.3 Specific end use(s)

Specific use(s) : For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Titanium dioxide	13463-67-7	ZOAD/TWA (Total dust)	15 mg/m ³	TR OEL DU
	Further information: Allowable occupational exposure limit values of chemicals in dust form			
talc	14807-96-6	ZOAD/TWA	0,1 fibres per cubic centimeter	TR OEL DU
	Further information: Allowable occupational exposure limit values of mineral dusts			
		ZOAD/TWA	80 mg/m ³ / %SiO ₂ +2	TR OEL DU
	Further information: Allowable occupational exposure limit values of mineral dusts			
		TWA (Respirable dust)	0,1 mg/m ³	2004/37/EC
	Further information: Carcinogens or mutagens			

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Hand protection

Remarks : impermeable gloves Synthetic rubber gloves Manufacturer's directions for use should be observed because of great diversity of types.

Skin and body protection : Body protection must be chosen based on level of activity and exposure.

Respiratory protection : Wear respiratory protection if ventilation is inadequate. Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

MasterTop TC 485W MTO Part B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.12.2022	960000008513	Date of first issue: 01.12.2022

ABEK).

Protective measures : Do not inhale dust/fumes/aerosols.
Avoid contact with the skin, eyes and clothing.
Avoid exposure.
Handle in accordance with good building materials hygiene and safety practice.
Wearing of closed work clothing is recommended.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

Color : various

Odor : characteristic

Odor Threshold : not determined

Flash point : Not applicable

Density : 1,4 g/cm³ (20 °C)

Partition coefficient: n-octanol/water : not applicable for mixtures

Decomposition temperature : No decomposition if stored and handled as prescribed/indicated.

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

10.2 Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3 Possibility of hazardous reactions

Hazardous reactions : The product is stable if stored and handled as prescribed/indicated.

10.4 Conditions to avoid

Conditions to avoid : See SDS section 7 - Handling and storage.

10.5 Incompatible materials

Materials to avoid : Strong acids

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

MasterTop TC 485W MTO Part B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.12.2022	960000008513	Date of first issue: 01.12.2022

Strong bases
Strong oxidizing agents
Strong reducing agents

10.6 Hazardous decomposition products

No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : Health injuries are not known or expected under normal use. No data is available on the product itself. Information given is based on data on the ingredients and the toxicology of similar products.

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

MasterTop TC 485W MTO Part B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.12.2022	96000008513	Date of first issue: 01.12.2022

SECTION 12: Ecological information

12.1 Toxicity

Product:

Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: Taking into consideration the properties of several ingredients, the product is estimated not to be readily biodegradable according to OECD classification.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available.
Discharge into the environment must be avoided.

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:

Additional ecological information : Do not discharge product into the environment without control. The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Observe national and local legal requirements.
Residues should be disposed of in the same manner as the substance/product.

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

MasterTop TC 485W MTO Part B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.12.2022	960000008513	Date of first issue: 01.12.2022

Contaminated packaging : Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.
Packs that cannot be cleaned should be disposed of in the same manner as the contents.

SECTION 14: Transport information

14.1 UN number

ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Aliphatic polyamine)
RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Aliphatic polyamine)
IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Aliphatic polyamine)
IATA : Environmentally hazardous substance, liquid, n.o.s.
(Aliphatic polyamine)

14.3 Transport hazard class(es)

ADR : 9
RID : 9
IMDG : 9
IATA : 9

14.4 Packing group

ADR
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9 (EHSM)
Tunnel restriction code : (-)
RID
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9 (EHSM)

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

MasterTop TC 485W MTO Part B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.12.2022	960000008513	Date of first issue: 01.12.2022

IMDG

Packing group : III
Labels : 9 (EHSM)
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous, Environmentally hazardous

IATA (Passenger)

Packing instruction (passenger aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous, Environmentally hazardous

14.5 Environmental hazards

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

KKDIK (30105 (Bis)) - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex 17) : Conditions of restriction for the following entries should be considered: Number on list 3

Regulation on Persistent Organic Pollutants (Number 30595 and subsequent amendments published) : Not applicable

Regulation on prevention of major industrial accidents. Reg number 30702 E2 ENVIRONMENTAL HAZARDS

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

MasterTop TC 485W MTO Part B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.12.2022	960000008513	Date of first issue: 01.12.2022

Other regulations:

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Regulation on Classification, Labelling and Packaging of Substances and Mixtures. Dated 11 December 2013, Number 28848 (Bis), Ministry of Environment and Urbanization.
Regulation on health and safety measures regarding working with chemicals (Number: 28733, 2013). Occupational Exposure Limit Values (Annex 1)

15.2 Chemical Safety Assessment

Chemical Safety Assessment not required

SECTION 16: Other information

Full text of H-Statements

H225	: Highly flammable liquid and vapor.
H302	: Harmful if swallowed.
H312	: Harmful in contact with skin.
H314	: Causes severe skin burns and eye damage.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H332	: Harmful if inhaled.
H336	: May cause drowsiness or dizziness.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Flam. Liq.	: Flammable liquids
Skin Corr.	: Skin corrosion
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitization
STOT SE	: Specific target organ toxicity - single exposure
2004/37/EC	: Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
TR OEL DU	: Turkey. Regulation on Dust Control. Occupational Dust Exposure Limit Values (Annex 1)
2004/37/EC / TWA	: Long term exposure limit
TR OEL DU / ZOAD/TWA	: Time Weighted Average Value

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



MasterTop TC 485W MTO Part B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.12.2022	960000008513	Date of first issue: 01.12.2022

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

SDS Author

Name: Nazlı ÖZER

Address: Master Builders Solutions Yapı Kimyasalları Sanayi ve Ticaret Ltd. Şti. 34746 Ataşehir - İstanbul, Turkey

Phone: +90 262 751-6845

Email: nazli.ozer@mbcc-group.com

Certificate no: KDU-A-0-0077

Certification Date: 29.07.2020

Certificate Expiry Date: 29.07.2025

Classification of the mixture:

Skin Irrit. 2	H315
Eye Dam. 1	H318
Skin Sens. 1	H317
Aquatic Chronic 2	H411

Classification procedure:

Calculation method
Calculation method
Calculation method
Calculation method

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



MasterTop TC 485W MTO Part B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.12.2022	960000008513	Date of first issue: 01.12.2022

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

TR / EN